

Delta-Cast®

Splinting Catalog

Excellent for acute, post-op
and chronic support of injuries



ORTHO-GLASS®
Comfort

ORTHO-GLASS®

SafetySplint™

Dynacast S

Delta - Cast®

Table of Contents & Introduction

| PRODUCT | PAGE |
|-------------------------------------|------|
| ORTHO-GLASS® Comfort | 3 |
| ORTHO-GLASS® Splinting System | 4 |
| SafetySplint™ Unpadded Roll | 5 |
| SafetySplint™ Precuts | 5 |
| ORTHO-GLASS® Solo | 6 |
| ORTHO-GLASS® Strap Kits | 7 |
| ORTHO-GLASS® Ankle Treatment System | 7 |
| Dynacast® S | 8 |

In an effort to improve the efficiency of our internal processes, we will be moving from the current "Ref No." to a new "BNR" number. Starting January 1, 2020 all orders must be placed using the "BNR" number. We recognize this switch may require some work for those of you with order management systems in place and we apologize for the inconvenience. You may continue to use either number to place orders as we finish this migration process. Thank you for your continued support. We look forward to providing you with quality solutions and excellent customer service in the years to come.

BSN Medical, Inc. has been at the forefront of professional healthcare for years, pioneering some of the most sophisticated solutions in wound care, compression therapy, casting and non-invasive orthopedic products.

Now, we are proud to be a part of Essity, a leading global hygiene and health company. The name originates from 'everyday essentials and necessities'. Which is exactly what we as a company provide in over 150 countries via brands like Tempo, Zewa and TENA. With approximately 48,000 employees, we're driven by improving health and hygiene for everyone, everywhere.

We strive to bridge the gap between patients and healthcare professionals. By combining our offer, we create even better solutions. Our products and service level stay the same as you are used to.

We do this for you, your patients and everyone around them.



ORTHO-GLASS® Comfort

The Progressive Splinting Solution

ORTHO-GLASS® Comfort offers two advances in synthetic splinting.

The 3D knit padding construction offers:

- Reduced risk of skin maceration
- Increased air circulation resulting in better breathability
- No wrong side padding

The Interlocking Performance Substrate Technology offers:

- Improved radiolucency compared to fiberglass splinting products
- Reduces the sharp edges
- Disposable by incineration
- Better conformability
- Polyester construction



ORTHO-GLASS® Comfort Splinting System - Roll Form

| Ref / BNR | Size | Unit of Measure |
|-----------|--------------|-----------------|
| 7344101 | 1 in x 15 ft | 2 rolls / case |
| 7344102 | 2 in x 15 ft | 2 rolls / case |
| 7344103 | 3 in x 15 ft | 2 rolls / case |
| 7344104 | 4 in x 15 ft | 2 rolls / case |
| 7344105 | 5 in x 15 ft | 2 rolls / case |
| 7344106 | 6 in x 15 ft | 2 rolls / case |

ORTHO-GLASS® Color Wraps

| Ref / BNR | Size | Unit of Measure |
|-----------------|--------------|-----------------|
| CEB-2 / 7165606 | 2 in x 5 yds | 18 rolls / pack |
| CEB-3 / 7165607 | 3 in x 5 yds | 18 rolls / pack |
| CEB-4 / 7165608 | 4 in x 5 yds | 18 rolls / pack |

ORTHO-GLASS® Comfort Pre-Cut Splints

| Ref / BNR | Size | Unit of Measure |
|-----------|--------------|-----------------|
| 7344202 | 2 in x 12 in | 10 units / case |
| 7344203 | 3 in x 12 in | 10 units / case |
| 7344204 | 3 in x 35 in | 10 units / case |
| 7344205 | 4 in x 15 in | 10 units / case |
| 7344206 | 4 in x 30 in | 10 units / case |
| 7344207 | 5 in x 30 in | 10 units / case |
| 7344208 | 6 in x 12 in | 10 units / case |



ORTHO-GLASS®

Fiberglass Padded Splinting System

ORTHO-GLASS®, a cost effective splinting system of choice for every phase of immobilization. Features Interlocking Performance Technology (ILP). ILP eliminates the risk of delamination, ensuring a strong, durable splint.

Features & Benefits

- Eliminates risk of delamination
- No wrong side application
- Easy stretch padding covers all edges
- Roll form eliminates waste
- Full educational support system – workshops, in-services, manuals, wall-charts, videos



ORTHO-GLASS® Splinting System

| Ref / BNR | Size | Unit of Measure |
|--------------------|---------------|-----------------|
| OG-1L2 / 7198362 | 1 in x 15 ft | 2 rolls / case |
| OG-2L2 / 7198363 | 2 in x 15 ft | 2 rolls / case |
| OG-3L2 / 7198364 | 3 in x 15 ft | 2 rolls / case |
| OG-4L2 / 7198365 | 4 in x 15 ft | 2 rolls / case |
| OG-5L2 / 7198366 | 5 in x 15 ft | 2 rolls / case |
| OG-6L2 / 7198367 | 6 in x 15 ft | 2 rolls / case |
| 66000687 / 7141900 | 8 in x 7.5 ft | 1 roll |

ORTHO-GLASS® Pre-Cut Splints

| Ref / BNR | Size | Unit of Measure |
|--------------------|--------------|------------------|
| OG-2PC / 7198355 | 2 in x 12 in | 10 splints / box |
| OG-3PC / 7198356 | 3 in x 12 in | 10 splints / box |
| OG-335PC / 7297600 | 3 in x 35 in | 5 splints / box |
| OG-4PC / 7198358 | 4 in x 15 in | 10 splints / box |
| OG-430PC / 7198357 | 4 in x 30 in | 5 splints / box |
| OG-5PC / 7198359 | 5 in x 30 in | 5 splints / box |
| OG-545PC / 7198360 | 5 in x 45 in | 5 splints / box |
| OG-610PC / 7297601 | 6 in x 10 in | 10 splints / box |
| OG-6PC / 7198361 | 6 in x 30 in | 5 splints / box |
| OG-645PC / 7198380 | 6 in x 45 in | 5 splints / box |

SN4094 Splint & Cast Cart Specifications

- 40⁵/₈" L x 20" W x 37¹/₂" H
- Lockable doors
- Sliding top draw
- Easy "pound-together" assembly
- Large non-marking casters

Accessories

| Ref / BNR | Size | Unit of Measure |
|-------------------|-------------------------------|-----------------|
| 7204657 | Scissors | 1 each |
| SN4094 / 7309305 | Splint & Cast Cart | 1 each |
| OG-2CDA / 7298701 | ORTHO-GLASS® 2 Unit Dispenser | 1 each |
| OG-3CDA / 7298307 | ORTHO-GLASS® 3 Unit Dispenser | 1 each |
| OG-4CDA / 7298702 | ORTHO-GLASS® 4 Unit Dispenser | 1 each |
| OG-5CDA / 7298703 | ORTHO-GLASS® 5 Unit Dispenser | 1 each |
| OG-6CDA / 7298704 | ORTHO-GLASS® 6 Unit Dispenser | 1 each |



SafetySplint™

Fiberglass Unpadded Roll

SafetySplint™ is a unique, strong and durable unpadded splint which allows you to control the amount of cushion between the patient and the splint. The unique liner does not require gloves and allows for easy removal for dressing changes.

Features & Benefits

- Thin profile - Excellent feel-through for fracture alignment
- Unique liner allows for easy handling
- Roll form - No waste
- Strong and durable
- X-ray translucent
- Excellent for post-op immobilization



SAFETYSPLINT™ Unpadded Roll

| Ref / BNR | Size | Unit of Measure |
|--------------------|--------------|-----------------|
| 67007969 / 7422201 | 3 in x 15 ft | 1 roll / case |
| 67007970 / 7422202 | 4 in x 15 ft | 1 roll / case |
| 67007971 / 7422203 | 5 in x 15 ft | 1 roll / case |
| 67007968 / 7422204 | 6 in x 15 ft | 1 roll / case |

SafetySplint™

Fiberglass Padded Precut System

Features & Benefits

- Molds easily for custom fit
- Lightweight and durable
- Patient friendly, fits easily under clothing
- Comfortable to wear
- Compact packaging



SAFETYSPLINT™ Padded Precut System

| Ref / BNR | Size | Unit of Measure |
|--------------------|--------------|------------------|
| SS-2PC / 7297602 | 2 in x 12 in | 15 splints / box |
| SS-3PC / 7297604 | 3 in x 12 in | 15 splints / box |
| SS-335PC / 7297603 | 3 in x 35 in | 15 splints / box |
| SS-4PC / 7297606 | 4 in x 15 in | 15 splints / box |
| SS-430PC / 7297605 | 4 in x 30 in | 15 splints / box |
| SS-5PC / 7297607 | 5 in x 30 in | 10 splints / box |
| SS-6PC / 7297608 | 6 in x 30 in | 10 splints / box |



ORTHO-GLASS® Solo

Fiberglass Unpadded Precut Splinting System

The ORTHO-GLASS® Solo Unpadded Precut System is a fiberglass splinting system using the latest innovation in Interlocking Performance technology (ILP). This product consists of a single interlock knit layer of polyurethane resin-impregnated fiberglass. Available in various widths and lengths.

Features & Benefits

- Excellent for post-op application
- Thin profile - Excellent feel-through for fracture alignment
- Unit dose application
- Strong and durable
- Interlock knit technology
- Clean application
- 7 sizes available



ORTHO-GLASS® Solo Unpadded Precut Splinting System

| Ref / BNR | Size | Unit of Measure |
|-----------|--------------|-----------------|
| 7296400 | 2 in x 10 in | Box / 10 |
| 7296401 | 3 in x 12 in | Box / 10 |
| 7296402 | 3 in x 35 in | Box / 10 |
| 7296403 | 4 in x 15 in | Box / 10 |
| 7296404 | 4 in x 30 in | Box / 10 |
| 7296405 | 5 in x 30 in | Box / 10 |
| 7296406 | 6 in x 12 in | Box / 10 |

ORTHO-GLASS®

Strap Kits

The ORTHO-GLASS® Strap Kit is for use in the rehabilitation stage. This patient-friendly product enables long-term use without the need for a full bandage, enabling easy splint removal. Strap Kits are provided with three hook and loop, stretchable straps. Not made with natural rubber latex.

ORTHO-GLASS® Strap Kits

| Ref / BNR | Size | Unit of Measure |
|-----------|---------------------|-----------------|
| 7141518 | Upper Extremity Kit | 10 kits / box |
| 7141519 | Lower Extremity Kit | 10 kits / box |

Upper Extremity Kit

3 Red straps, 1 - 5/8" x 17" and 2 - 2" x 19 1/2"

Lower Extremity Kit

3 Blue straps, 2" x 22 1/2"



ORTHO-GLASS®

Ankle Treatment System

The ORTHO-GLASS® Ankle Treatment System is a complete, custom-moldable single-patient care kit that is a cost-effective treatment from acute to rehab. It is strong, lightweight yet durable and fits easily in a shoe or boot. Available as single or 10 pack.

Features & Benefits

- Fast and convenient
- Sizes: small - medium and large
- Cost effective treatment from acute to rehab



ORTHO-GLASS® AS Not made with natural rubber latex - 10 Pack

| Ref / BNR | Size | Unit of Measure |
|--------------------|------------------------|-----------------|
| 58000013 / 7198402 | Small - Medium (<5'7") | 10 pack / box |
| 58000014 / 7198401 | Large (>5'7") | 10 pack / box |

ORTHO-GLASS® AS Treatment Kit

| Ref / BNR | Size | Unit of Measure |
|--------------------|------------------------|-----------------|
| 58000003 / 7198407 | Small - Medium (<5'7") | 1 kit |
| 58000004 / 7198404 | Large (>5'7") | 1 kit |



Dynacast® S

Fiberglass Padded Roll Form Splint System

Dynacast® S offers

- No wrong side application
- Easy stretch padding covers all edges
- 7 layer fiberglass

Cost effective

- Eliminates expensive pre-formed splints
- Roll form allows for no waste

Simple in design and use

- Saves time; no plaster clean-up
- Fast set-up; quick patient turn around
- Molds easily for custom fit
- Lightweight and durable
- Patient friendly; fits easily under clothing
- Comfortable to wear; washable



Dynacast® S Padded Roll Form Splint System

| Ref / BNR | Size | Unit of Measure |
|-----------|--------------|-----------------|
| 7449801 | 1 in x 15 ft | 1 roll / box |
| 7449802 | 2 in x 15 ft | 1 roll / box |
| 7449803 | 3 in x 15 ft | 1 roll / box |
| 7449804 | 4 in x 15 ft | 1 roll / box |
| 7449805 | 5 in x 15 ft | 1 roll / box |
| 7449806 | 6 in x 15 ft | 1 roll / box |



When faced with orthopedic trauma, optimal care for optimal healing is required. So, when it comes to broken bones or injured ligaments, **Delta-Cast® and Ortho-Glass®** branded products are your trusted partner.

As a global market leader in casting and splinting with a strong brand heritage in fracture management, Delta-Cast® has a **comprehensive and innovative portfolio** that you can rely on.

Delta-Cast® takes pride in going the extra mile to support you through **service and training** so that you have the knowledge and tools to overcome challenges that come your way.

Delta-Cast® - we know casting.



Delta-Cast®,
an Essity brand



BSN Medical Inc., an Essity company
5825 Carnegie Blvd., Charlotte, NC 28209-4633
Tel. (+1) 704 554 9933 Fax (+1) 800 835 4325
To order toll-free: Tel. (+1) 800 552 1157

63355 R1 ©2021 BSN Medical Inc. C21