



ASSA ABLOY

Commercial Pricing **General Solutions Binder**

Effective February 17, 2025



54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



MULTI-POINT DEADBOLT EXIT LOCK

Below is pricing for Securitech's popular TRIDENT models.
To price other custom models start with the series as the base price.
Add the appropriate prices for each designation.
The total is the model's list price.

TRIDENT POPULAR MODEL PRICES (Specify handing)

MODEL	DESCRIPTION	LIST PRICE
1 SINGLE DOOR APPLICATIONS		
TEL-100	Manual-Relocking, no alarm	
TEL-110	Manual-Relocking packed with battery alarm	
TEL-120	Manual-Relocking packed with Direct Power alarm	
TEL-200	Self-Relocking, no alarm	
TEL-210	Self-Relocking packed with battery alarm	
TEL-220	Self-Relocking packed with Direct Power alarm	
TEL-200F	Self-Relocking, FIRE RATED, no alarm	
TEL-210F	Self-Relocking, FIRE RATED with battery alarm	
TEL-220F	Self-Relocking, FIRE RATED with Direct Power alarm	
2 DELAYED EGRESS SYSTEM		
TEL-DES	Trident Self-Locking + Delayed Egress System (TEL-200 Included)	
TEL-DES-KLST (-HAND)	Trident Self-Locking + Delayed Egress System (TEL-200 Included) with keyed lever trim & delayed egress shunt switch	
TEL-DES-KDST (-HAND)	Trident Self-Locking + Delayed Egress System (TEL-200 Included) with 24vDC keyed lever trim & delayed egress shunt switch	
DELAYED EGRESS SYSTEM		
TEL-DEK	Delayed Egress Kit (Does not include Trident lock)	
3A PAIR OF DOORS APPLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR		
TEL-IAL	Inactive door package used with above single door locks. Includes double door aluminum angle bracket & 3-point keyed lock for inactive door only. Includes removable-core rim cylinder for 3-point keyed lock. Not for use where both doors need to be active.	
TEL-IAT	Same as above but with a Thumbturn on the interior mechanism	
3B PAIR OF DOORS APPLICATION: BOTH DOORS ACTIVE		
TEL-300	Manual-Relocking, both doors active, no alarm	
TEL-310	Manual-Relocking, both doors active, packed with battery alarm	
TEL-320	Manual-Relocking, both doors active, packed with Direct Power alarm	
TEL-400	Self-Relocking, both doors active, no alarm	
TEL-410	Self-Relocking, both doors active, packed with battery alarm	
TEL-420	Self-Relocking, both doors active, packed with Direct Power alarm	
TEL-400F	Self-Relocking, FIRE RATED, both doors active, No Alarm	

MODEL	DESCRIPTION	LIST PRICE
3B PAIR OF DOORS APPLICATION: BOTH DOORS ACTIVE - continued		
TEL-410F	Self-Relocking, FIRE RATED, both doors active W/ Battery Alarm	
TEL-420F	Self-Relocking, FIRE RATED, both doors active W/ Direct Power Alarm	
4 ALARM KITS (with security snap connector)		
TEL-A10	Battery alarm kit for use with all Tridents	
TEL-A20	Direct power alarm kit for use with all Tridents	
TEL-A10-LDO-RK-TCH4W	Trident battery alarm with last door out feature & exterior shunt. Used with the TEL-KDST lever trim. Power transfer included.	
5 EXTERIOR ENTRY OPTIONS (can be added in field)		
Trim for manual locking Tridents on full antio-pry plate for exterior trim models, 676 Finish (NON-HANDED)		
TEL-MTT-AP	Keyed thumbturn trim for TEL-100 series (cyl. by others)	
TEL-MTH-AP	Keyed thumbturn trim & Pull handle for TEL-100 series (cyl. by others)	
Trim for manual locking Tridents, on individual trim plate, black finish (NON-HANDED)		
TEL-MTT	Keyed Thumbturn trim for TEL-100 series (cyl. by others)	
TEL-MTH	Keyed Thumbturn trim & Pull handle for TEL-100 series (cyl. by others)	
Trim for self-locking Tridents, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)		
TEL-KLT-AP	Keyed Lever trim for TEL-200 series (order handed)	
TEL-KDT-AP	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Secure)	
TEL-KRT-AP	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Safe)	
Trim for self-locking Tridents, on individual trim plate, 630 finish (LHR / RHR)		
TEL-KLT	Keyed Lever trim for TEL-200 series (order handed)	
TEL-KDT	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Secure)	
TEL-KRT	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Safe)	
Trim for delayed egress models, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)		
TEL-KLST-AP	Keyed lever trim w/delayed egress shunt switch.	
TEL-KDST-AP	Keyed Lever trim, 24 Volt DC release w/delayed egress shunt switch.	
All Trident Self-locking and Delayed Egress Trim Models Are Handed: Designate -LHR or -RHR		
CYLINDERS FOR TRIMS OR ALARMS		
TEL-MC1	Mortise cylinder standard keyway w/ operating keys, no special keying	
TEL-RC1	Removable core mortise cylinder with change and operating keys	
TEL-RC2	Removable core rim cylinder with change and operating keys	
CYLINDER and CAM Information		
IAL:	Removable Core rim cylinder provided with IAL lockset (contact factory for others)	
ALARMS:	Mortise cylinders (required w/ alarm - works with any cam); Order separately or by others	
TRIM:	Mortise cylinders (required w/ trim - cloverleaf cam recommended); Order separately or by others	
Custom Functions and Solutions Available: Please Contact the Factory for Consultation		

TRIDENT™ (cont.)

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



ASSA ABLOY


MODEL	DESCRIPTION	LIST PRICE
5 REPLACEMENT (Service) LEVER TRIM UNITS		
TEL-KLT-RB	Keyed lever trim only (630 finish); w/o anti-pry plate	
TEL-KLT-RS	Keyed lever trim only (630 finish); w/o anti-pry plate	
TEL-KDT-RB	Key / DC lever trim only (630 finish); w/o anti-pry plate	
TEL-KDT-RS	Key / DC lever trim only (630 finish); w/o anti-pry plate	

NEW!
LARGER, THICKER,
INTEGRATED KEY CONTROLLED TRIM
AND FULL SIZE
ANTI-PRY PLATE
Models Ending In "-AP"



Important Cylinder & Cam Information:

Mortise cylinder for alarms & keyed entry options are not provided, unless ordered as a separate item.



TRIM CYLINDER & CAM INFO:
Coverleaf cam is recommended for one-hand operation on all outside entry options. Cylinders 1" or longer can be used.

ALARM CYLINDER & CAM INFO:
A20 alarms will work with all mortise cylinder lengths and cams.

CYLINDER USAGE CHART

Model	Type	Cam
ALARMED MODELS		
TEL-*00	NONE	N/A
TEL-*10	MORTIS	ANY
TEL-*20	MORTISE	ANY
KEYED ENTRY MODELS		
All	Mortise	Cloverleaf

6 POPULAR FIELD INSTALLED OPTIONS		
TEL-HSB1	Additional Hinge Side Bolt provides fifth point of locking	
TEL-HSB3	HSB mounted on an extender plate to bypass f/s continuous hinge	
TEL-E12	Armored alarm cable extension for oversize doors	
TEL-EK12	12" Upper extension for TEL-300 for over height doors	
TEL-EP2	24" Extended Paddle with Guarded Rubber Return	
TEL-EP4	18" Extended Paddle, 6" Filler Plate and Guarded Rubber Return	
Option for shipping lock to lock installer and power supply to another (typically electrician)		
TEL-220-XPS	Self relocking Trident with direct power alarm less power supply	
TEL-501	Separate power supply for above (shipped in own box)	
Option for providing signal from lock for use with alarm by others:		
TEL-SSO	Alarm Cable for 3rd Party Alarms for doors up to 36"	
TEL-SS5	Alarm Cable for 3rd Party Alarms for doors up to 48"	
TEL-ASO	Alarm Cable for Securitech Alarms for doors up to 36"	

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ (cont.)

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



ASSA ABLOY

MODEL	DESCRIPTION	LIST PRICE
6 POPULAR FIELD INSTALLED OPTIONS continued		
TEL-AS5	Alarm Cable for Securitech Alarms for doors up to 48"	
TEL-PSK	PS2 Power Supply & board to upgrade A10 to direct power	
TEL-SS53	Bolt Monitor Switch, Armored cable & J Box. Doors up to 48"	
Option for running electrified exterior trim wire across the door within armored cable		
TEL-TCH	Armored Cable for Electrified Trim that Includes Alarm Signal	
TEL-TTH	Armored Cable for Electrified Trim without Alarm Connector	
For double door applications where inactive leaf lock provided by others		
TEL-DDA	Double Door Aluminum Angle Bracket (no lock included)	
Additional Options		
TEL-EP1	24" Extended paddle for doors 48" wide	
TEL-EP3	18" Extended paddle with 6" Filler Plate for doors 42" wide	
TEL-SSK1	Security screw set for alarm box with opening tool	
Special factory installed options which cannot be field applied		
(ADD)-CT	Digital L.C.D. counter	
(ADD)-CW	Lock prepped for concealed wire (8' lead)	
(ADD)-RO	Remote alarm output on A10 or A20 (for secondary signal)	
(ADD)-RS	Remote siren on A20 (for mounting away from door)	
TEL-AM1	Integrated door monitor switch for battery alarm	
TEL-AM2	Integrated door monitor switch for direct power alarm	

PRICING NOTES:


20% Surcharge for orders rushed under 72 hours – Subject to change & restrictions may apply
25% Surcharge for orders rushed under 24 hours – Subject to change & restrictions may apply
Drop ship fee applies to large orders with multiple ship to addresses

TRIDENT™ Silver Dealer

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



ASSA ABLOY



MULTI-POINT DEADBOLT EXIT LOCK

Below is pricing for Securitech's popular TRIDENT models.
To price other custom models start with the series as the base price.
Add the appropriate prices for each designation.
The total is the model's list price.

TRIDENT POPULAR MODEL SILVER DEALER PRICES (Specify handing)

MODEL	DESCRIPTION	LIST PRICE
1 SINGLE DOOR APPLICATIONS		
TEL-100	Manual-Relocking, no alarm	
TEL-110	Manual-Relocking packed with battery alarm	
TEL-120	Manual-Relocking packed with Direct Power alarm	
TEL-200	Self-Relocking, no alarm	
TEL-210	Self-Relocking packed with battery alarm	
TEL-220	Self-Relocking packed with Direct Power alarm	
TEL-200F	Self-Relocking, FIRE RATED, no alarm	
TEL-210F	Self-Relocking, FIRE RATED with battery alarm	
TEL-220F	Self-Relocking, FIRE RATED with Direct Power alarm	
2 DELAYED EGRESS SYSTEM		
TEL-DES	Trident Self-Locking + Delayed Egress System (TEL-200 Included)	
TEL-DES-KLST (-HAND)	Trident Self-Locking + Delayed Egress System (TEL-200 Included) with keyed lever trim & delayed egress shunt switch	
TEL-DES-KDST (-HAND)	Trident Self-Locking + Delayed Egress System (TEL-200 Included) with 24vDC keyed lever trim & delayed egress shunt switch	
DELAYED EGRESS SYSTEM		
TEL-DEK	Delayed Egress Kit (Does not include Trident lock)	
3A PAIR OF DOORS APPLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR		
TEL-IAL	Inactive door package used with above single door locks. Includes double door aluminum angle bracket & 3-point keyed lock for inactive door only. Includes removable-core rim cylinder for 3-point keyed lock. Not for use where both doors need to be active.	
TEL-IAT	Same as above but with a Thumbturn on the interior mechanism	
3A PAIR OF DOORS APPLICATION: BOTH DOORS ACTIVE		
TEL-300	Manual-Relocking, both doors active, no alarm	
TEL-310	Manual-Relocking, both doors active, packed with battery alarm	
TEL-320	Manual-Relocking, both doors active, packed with Direct Power alarm	
TEL-400	Self-Relocking, both doors active, no alarm	
TEL-410	Self-Relocking, both doors active, packed with battery alarm	
TEL-420	Self-Relocking, both doors active, packed with Direct Power alarm	
TEL-400F	Self-Relocking, FIRE RATED, both doors active, No Alarm	

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ Silver Dealer (cont.)



ASSA ABLOY

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com

MODEL	DESCRIPTION	LIST PRICE
3B PAIR OF DOORS APPLICATION: BOTH DOORS ACTIVE - continued		
TEL-410F	Self-Relocking, FIRE RATED, both doors active W/ Battery Alarm	
TEL-420F	Self-Relocking, FIRE RATED, both doors active W/ Direct Power Alarm	
4 ALARM KITS (with security snap connector)		
TEL-A10	Battery alarm kit for use with all Tridents	
TEL-A20	Direct power alarm kit for use with all Tridents	
TEL-A10-LDO-RK-TCH4W	Trident battery alarm with last door out feature & exterior shunt. Used with the TEL-KDST lever trim. Power transfer included.	
5 EXTERIOR ENTRY OPTIONS (can be added in field)		
Trim for manual locking Tridents on full antio-pry plate for exterior trim models, 676 Finish (NON-HANDED)		
TEL-MTT-AP	Keyed thumbturn trim for TEL-100 series (cyl. by others)	
TEL-MTH-AP	Keyed thumbturn trim & Pull handle for TEL-100 series (cyl. by others)	
Trim for manual locking Tridents, on individual trim plate, black finish (NON-HANDED)		
TEL-MTT	Keyed Thumbturn trim for TEL-100 series (cyl. by others)	
TEL-MTH	Keyed Thumbturn trim & Pull handle for TEL-100 series (cyl. by others)	
Trim for self-locking Tridents, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)		
TEL-KLT-AP	Keyed Lever trim for TEL-200 series (order handed)	
TEL-KDT-AP	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Secure)	
TEL-KRT-AP	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Safe)	
Trim for self-locking Tridents, on individual trim plate, 630 finish (LHR / RHR)		
TEL-KLT	Keyed Lever trim for TEL-200 series (order handed)	
TEL-KDT	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Secure)	
TEL-KRT	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Safe)	
Trim for delayed egress models, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)		
TEL-KLST-AP	Keyed lever trim w/delayed egress shunt switch.	
TEL-KDST-AP	Keyed Lever trim, 24 Volt DC release w/delayed egress shunt switch.	
All Trident Self-locking and Delayed Egress Trim Models Are Handed: Designate -LHR or -RHR		
CYLINDERS FOR TRIMS OR ALARMS		
TEL-MC1	Mortise cylinder standard keyway w/ operating keys, no special keying	
TEL-RC1	Removable core mortise cylinder with change and operating keys	
TEL-RC2	Removable core rim cylinder with change and operating keys	
CYLINDER and CAM Information		
IAL:	Removable Core rim cylinder provided with IAL lockset (contact factory for others)	
ALARMS:	Mortise cylinders (required w/ alarm - works with any cam); Order separately or by others	
TRIM:	Mortise cylinders (required w/ trim - cloverleaf cam recommended); Order separately or by others	
Custom Functions and Solutions Available: Please Contact the Factory for Consultation		

TRIDENT™ Silver Dealer (cont.)



ASSA ABLOY

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com


MODEL	DESCRIPTION	LIST PRICE
5 REPLACEMENT (Service) LEVER TRIM UNITS		
TEL-KLT-RB	Keyed lever trim only (630 finish); w/o anti-pry plate	
TEL-KLT-RS	Keyed lever trim only (630 finish); w/o anti-pry plate	
TEL-KDT-RB	Key / DC lever trim only (630 finish); w/o anti-pry plate	
TEL-KDT-RS	Key / DC lever trim only (630 finish); w/o anti-pry plate	

NEW!
LARGER, THICKER,
INTEGRATED KEY CONTROLLED TRIM
AND FULL SIZE
ANTI-PRY PLATE
Models Ending In "-AP"



Important Cylinder & Cam Information:

Mortise cylinder for alarms & keyed entry options are not provided, unless ordered as a separate item.



TRIM CYLINDER & CAM INFO:
Coverleaf cam is recommended for one-hand operation on all outside entry options. Cylinders 1" or longer can be used.

ALARM CYLINDER & CAM INFO:
A20 alarms will work with all mortise cylinder lengths and cams.

CYLINDER USAGE CHART

Model	Type	Cam
-------	------	-----

ALARMED MODELS

TEL-*00	NONE	N/A
TEL-*10	MORTIS	ANY
TEL-*20	MORTISE	ANY

KEYED ENTRY MODELS

All	Mortise	Cloverleaf
-----	---------	------------

6 POPULAR FIELD INSTALLED OPTIONS

TEL-HSB1	Additional Hinge Side Bolt provides fifth point of locking	
TEL-HSB3	HSB mounted on an extender plate to bypass f/s continuous hinge	
TEL-E12	Armored alarm cable extension for oversize doors	
TEL-EK12	12" Upper extension for TEL-300 for over height doors	
TEL-EP2	24" Extended Paddle with Guarded Rubber Return	
TEL-EP4	18" Extended Paddle, 6" Filler Plate and Guarded Rubber Return	

Option for shipping lock to lock installer and power supply to another (typically electrician)

TEL-220-XPS	Self relocking Trident with direct power alarm less power supply	
TEL-501	Separate power supply for above (shipped in own box)	

Option for providing signal from lock for use with alarm by others:

TEL-SSO	Alarm Cable for 3rd Party Alarms for doors up to 36"	
TEL-SS5	Alarm Cable for 3rd Party Alarms for doors up to 48"	
TEL-ASO	Alarm Cable for Securitech Alarms for doors up to 36"	

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ Silver Dealer (cont.)

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



MODEL	DESCRIPTION	LIST PRICE
6 POPULAR FIELD INSTALLED OPTIONS continued		
TEL-AS5	Alarm Cable for Securitech Alarms for doors up to 48"	
TEL-PSK	PS2 Power Supply & board to upgrade A10 to direct power	
TEL-SS53	Bolt Monitor Switch, Armored cable & J Box. Doors up to 48"	
Option for running electrified exterior trim wire across the door within armored cable		
TEL-TCH	Armored Cable for Electrified Trim that Includes Alarm Signal	
TEL-TTH	Armored Cable for Electrified Trim without Alarm Connector	
For double door applications where inactive leaf lock provided by others		
TEL-DDA	Double Door Aluminum Angle Bracket (no lock included)	
Additional Options		
TEL-EP1	24" Extended paddle for doors 48" wide	
TEL-EP3	18" Extended paddle with 6" Filler Plate for doors 42" wide	
TEL-SSK1	Security screw set for alarm box with opening tool	
Special factory installed options which cannot be field applied		
(ADD)-CT	Digital L.C.D. counter	
(ADD)-CW	Lock prepped for concealed wire (8' lead)	
(ADD)-RO	Remote alarm output on A10 or A20 (for secondary signal)	
(ADD)-RS	Remote siren on A20 (for mounting away from door)	
TEL-AM1	Integrated door monitor switch for battery alarm	
TEL-AM2	Integrated door monitor switch for direct power alarm	

PRICING NOTES:

20% Surcharge for orders rushed under 72 hours – Subject to change & restrictions may apply
25% Surcharge for orders rushed under 24 hours – Subject to change & restrictions may apply
Drop ship fee applies to large orders with multiple ship to addresses

TRIDENT™ Gold Dealer

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



ASSA ABLOY



MULTI-POINT DEADBOLT EXIT LOCK

Below is pricing for Securitech's popular TRIDENT models.
To price other custom models start with the series as the base price.
Add the appropriate prices for each designation.
The total is the model's list price.

TRIDENT POPULAR MODEL GOLD DEALER PRICES (Specify handing)

MODEL		DESCRIPTION		LIST PRICE	
1 SINGLE DOOR APPLICATIONS				SILVER	GOLD
TEL-100		Manual-Relocking, no alarm			
TEL-110		Manual-Relocking packed with battery alarm			
TEL-120		Manual-Relocking packed with Direct Power alarm			
TEL-200		Self-Relocking, no alarm			
TEL-210		Self-Relocking packed with battery alarm			
TEL-220		Self-Relocking packed with Direct Power alarm			
TEL-200F		Self-Relocking, FIRE RATED, no alarm			
TEL-210F		Self-Relocking, FIRE RATED with battery alarm			
TEL-220F		Self-Relocking, FIRE RATED with Direct Power alarm			
2 DELAYED EGRESS SYSTEM					
TEL-DES		Trident Self-Locking + Delayed Egress System (TEL-200 Included)			
TEL-DES-KLST (-HAND)		Trident Self-Locking + Delayed Egress System (TEL-200 Included) with keyed lever trim & delayed egress shunt switch			
TEL-DES-KDST (-HAND)		Trident Self-Locking + Delayed Egress System (TEL-200 Included) with 24vDC keyed lever trim & delayed egress shunt switch			
DELAYED EGRESS SYSTEM					
TEL-DEK		Delayed Egress Kit (Does not include Trident lock)			
3A PAIR OF DOORS APPLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR					
TEL-IAL		Inactive door package used with above single door locks. Includes double door aluminum angle bracket & 3-point keyed lock for inactive door only. Includes removable-core rim cylinder for 3-point keyed lock. Not for use where both doors need to be active.			
TEL-IAT		Same as above but with a Thumbturn on the interior mechanism			
3A PAIR OF DOORS APPLICATION: BOTH DOORS ACTIVE					
TEL-300		Manual-Relocking, both doors active, no alarm			
TEL-310		Manual-Relocking, both doors active, packed with battery alarm			
TEL-320		Manual-Relocking, both doors active, packed with Direct Power alarm			
TEL-400		Self-Relocking, both doors active, no alarm			
TEL-410		Self-Relocking, both doors active, packed with battery alarm			
TEL-420		Self-Relocking, both doors active, packed with Direct Power alarm			
TEL-400F		Self-Relocking, FIRE RATED, both doors active, No Alarm			

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ Gold Dealer (cont.)



ASSA ABLOY

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com

MODEL	DESCRIPTION	LIST PRICE	
3B PAIR OF DOORS APPLICATION: BOTH DOORS ACTIVE - continued		SILVER	GOLD
TEL-410F	Self-Relocking, FIRE RATED, both doors active W/ Battery Alarm		
TEL-420F	Self-Relocking, FIRE RATED, both doors active W/ Direct Power Alarm		
4 ALARM KITS (with security snap connector)			
TEL-A10	Battery alarm kit for use with all Tridents		
TEL-A20	Direct power alarm kit for use with all Tridents		
TEL-A10-LDO-RK-TCH4W	Trident battery alarm with last door out feature & exterior shunt. Used with the TEL-KDST lever trim. Power transfer included.		
5 EXTERIOR ENTRY OPTIONS (can be added in field)			
Trim for manual locking Tridents on full antio-pry plate for exterior trim models, 676 Finish (NON-HANDED)			
TEL-MTT-AP	Keyed thumbturn trim for TEL-100 series (cyl. by others)		
TEL-MTH-AP	Keyed thumbturn trim & Pull handle for TEL-100 series (cyl. by others)		
Trim for manual locking Tridents, on individual trim plate, black finish (NON-HANDED)			
TEL-MTT	Keyed Thumbturn trim for TEL-100 series (cyl. by others)		
TEL-MTH	Keyed Thumbturn trim & Pull handle for TEL-100 series (cyl. by others)		
Trim for self-locking Tridents, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)			
TEL-KLT-AP	Keyed Lever trim for TEL-200 series (order handed)		
TEL-KDT-AP	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Secure)		
TEL-KRT-AP	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Safe)		
Trim for self-locking Tridents, on individual trim plate, 630 finish (LHR / RHR)			
TEL-KLT	Keyed Lever trim for TEL-200 series (order handed)		
TEL-KDT	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Secure)		
TEL-KRT	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Safe)		
Trim for delayed egress models, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)			
TEL-KLST-AP	Keyed lever trim w/delayed egress shunt switch.		
TEL-KDST-AP	Keyed Lever trim, 24 Volt DC release w/delayed egress shunt switch.		
All Trident Self-locking and Delayed Egress Trim Models Are Handed: Designate -LHR or -RHR			
CYLINDERS FOR TRIMS OR ALARMS			
TEL-MC1	Mortise cylinder standard keyway w/ operating keys, no special keying		
TEL-RC1	Removable core mortise cylinder with change and operating keys		
TEL-RC2	Removable core rim cylinder with change and operating keys		
CYLINDER and CAM Information			
IAL:	Removable Core rim cylinder provided with IAL lockset (contact factory for others)		
ALARMS:	Mortise cylinders (required w/ alarm - works with any cam); Order separately or by others		
TRIM:	Mortise cylinders (required w/ trim - cloverleaf cam recommended); Order separately or by others		
Custom Functions and Solutions Available: Please Contact the Factory for Consultation			

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ Gold Dealer (cont.)



ASSA ABLOY

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com


MODEL	DESCRIPTION	LIST PRICE	
5	REPLACEMENT (Service) LEVER TRIM UNITS	SILVER	GOLD
TEL-KLT-RB	Keyed lever trim only (630 finish); w/o anti-pry plate		
TEL-KLT-RS	Keyed lever trim only (630 finish); w/o anti-pry plate		
TEL-KDT-RB	Key / DC lever trim only (630 finish); w/o anti-pry plate		
TEL-KDT-RS	Key / DC lever trim only (630 finish); w/o anti-pry plate		

NEW!
LARGER, THICKER,
INTEGRATED KEY CONTROLLED TRIM
AND FULL SIZE
ANTI-PRY PLATE
Models Ending In "-AP"



Important Cylinder & Cam Information:

Mortise cylinder for alarms & keyed entry options are not provided, unless ordered as a separate item.



TRIM CYLINDER & CAM INFO:
Coverleaf cam is recommended for one-hand operation on all outside entry options. Cylinders 1" or longer can be used.

ALARM CYLINDER & CAM INFO:
A20 alarms will work with all mortise cylinder lengths and cams.

CYLINDER USAGE CHART

Model	Type	Cam
-------	------	-----

ALARMED MODELS

TEL-*00	NONE	N/A
TEL-*10	MORTIS	ANY
TEL-*20	MORTISE	ANY

KEYED ENTRY MODELS

All	Mortise	Cloverleaf
-----	---------	------------

6	POPULAR FIELD INSTALLED OPTIONS	SILVER	GOLD
TEL-HSB1	Additional Hinge Side Bolt provides fifth point of locking		
TEL-HSB3	HSB mounted on an extender plate to bypass f/s continuous hinge		
TEL-E12	Armored alarm cable extension for oversize doors		
TEL-EK12	12" Upper extension for TEL-300 for over height doors		
TEL-EP2	24" Extended Paddle with Guarded Rubber Return		
TEL-EP4	18" Extended Paddle, 6" Filler Plate and Guarded Rubber Return		
Option for shipping lock to lock installer and power supply to another (typically electrician)			
TEL-220-XPS	Self relocking Trident with direct power alarm less power supply		
TEL-501	Separate power supply for above (shipped in own box)		
Option for providing signal from lock for use with alarm by others:			
TEL-SSO	Alarm Cable for 3rd Party Alarms for doors up to 36"		
TEL-SS5	Alarm Cable for 3rd Party Alarms for doors up to 48"		
TEL-ASO	Alarm Cable for Securitech Alarms for doors up to 36"		

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ Gold Dealer (cont.)

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



MODEL	DESCRIPTION	LIST PRICE	
6 POPULAR FIELD INSTALLED OPTIONS continued		SILVER	GOLD
TEL-AS5	Alarm Cable for Securitech Alarms for doors up to 48"		
TEL-PSK	PS2 Power Supply & board to upgrade A10 to direct power		
TEL-SS53	Bolt Monitor Switch, Armored cable & J Box. Doors up to 48"		
Option for running electrified exterior trim wire across the door within armored cable			
TEL-TCH	Armored Cable for Electrified Trim that Includes Alarm Signal		
TEL-TTH	Armored Cable for Electrified Trim without Alarm Connector		
For double door applications where inactive leaf lock provided by others			
TEL-DDA	Double Door Aluminum Angle Bracket (no lock included)		
Additional Options			
TEL-EP1	24" Extended paddle for doors 48" wide		
TEL-EP3	18" Extended paddle with 6" Filler Plate for doors 42" wide		
TEL-SSK1	Security screw set for alarm box with opening tool		
Special factory installed options which cannot be field applied			
(ADD)-CT	Digital L.C.D. counter		
(ADD)-CW	Lock prepped for concealed wire (8' lead)		
(ADD)-RO	Remote alarm output on A10 or A20 (for secondary signal)		
(ADD)-RS	Remote siren on A20 (for mounting away from door)		
TEL-AM1	Integrated door monitor switch for battery alarm		
TEL-AM2	Integrated door monitor switch for direct power alarm		

PRICING NOTES:

20% Surcharge for orders rushed under 72 hours – Subject to change & restrictions may apply
25% Surcharge for orders rushed under 24 hours – Subject to change & restrictions may apply
Drop ship fee applies to large orders with multiple ship to addresses

TRIDENT™ Platinum Dealer

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



ASSA ABLOY



MULTI-POINT DEADBOLT EXIT LOCK

Below is pricing for Securitech's popular TRIDENT models.
To price other custom models start with the series as the base price.
Add the appropriate prices for each designation.
The total is the model's list price.

TRIDENT POPULAR MODEL PLATINUM DEALER PRICES (Specify handing)

Special Pricing for Platinum Dealers Only - Minimum order quantity of 10 required for all Platinum priced items.

MODEL	DESCRIPTION	LIST PRICE		
1 SINGLE DOOR APPLICATIONS		SILVER	GOLD	PLATINUM
TEL-100	Manual-Relocking, no alarm			
TEL-110	Manual-Relocking packed with battery alarm			
TEL-120	Manual-Relocking packed with Direct Power alarm			
TEL-200	Self-Relocking, no alarm			
TEL-210	Self-Relocking packed with battery alarm			
TEL-220	Self-Relocking packed with Direct Power alarm			
TEL-200F	Self-Relocking, FIRE RATED, no alarm			
TEL-210F	Self-Relocking, FIRE RATED with battery alarm			
TEL-220F	Self-Relocking, FIRE RATED with Direct Power alarm			
2 DELAYED EGRESS SYSTEM				
TEL-DES	Trident Self-Locking + Delayed Egress System (TEL-200 Included)			
TEL-DES-KLST (-HAND)	Trident Self-Locking + Delayed Egress System (TEL-200 Included) with keyed lever trim & delayed egress shunt switch			
TEL-DES-KDST (-HAND)	Trident Self-Locking + Delayed Egress System (TEL-200 Included)with 24vDC keyed lever trim & delayed egress shunt switch			
DELAYED EGRESS SYSTEM				
TEL-DEK	Delayed Egress Kit (Does not include Trident lock)			
3A PAIR OF DOORS APPLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR				
TEL-IAL	Inactive door package used with above single door locks. Includes double door aluminum angle bracket & 3-point keyed lock for inactive door only. Includes removable-core rim cylinder for 3-point keyed lock. Not for use where both doors need to be active.			
TEL-IAT	Same as above but with a Thumbturn on the interior mechanism			
3A PAIR OF DOORS APPLICATION: BOTH DOORS ACTIVE				
TEL-300	Manual-Relocking, both doors active, no alarm			
TEL-310	Manual-Relocking, both doors active, packed with battery alarm			
TEL-320	Manual-Relocking, both doors active, packed with Direct Power alarm			
TEL-400	Self-Relocking, both doors active, no alarm			
TEL-410	Self-Relocking, both doors active, packed with battery alarm			
TEL-420	Self-Relocking, both doors active, packed with Direct Power alarm			
TEL-400F	Self-Relocking, FIRE RATED, both doors active, No Alarm			

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ Platinum Dealer (cont.)



54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com

MODEL	DESCRIPTION	LIST PRICE		
3B PAIR OF DOORS APPLICATION: BOTH DOORS ACTIVE - continued		SILVER	GOLD	PLATINUM
TEL-410F	Self-Relocking, FIRE RATED, both doors active W/ Battery Alarm			
TEL-420F	Self-Relocking, FIRE RATED, both doors active W/ Direct Power Alarm			
4 ALARM KITS (with security snap connector)				
TEL-A10	Battery alarm kit for use with all Tridents			
TEL-A20	Direct power alarm kit for use with all Tridents			
TEL-A10-LDO- RK-TCH4W	Trident battery alarm with last door out feature & exterior shunt. Used with the TEL-KDST lever trim. Power transfer included.			
5 EXTERIOR ENTRY OPTIONS (can be added in field)				
Trim for manual locking Tridents on full antio-pry plate for exterior trim models, 676 Finish (NON-HANDED)				
TEL-MTT-AP	Keyed thumbturn trim for TEL-100 series (cyl. by others)			
TEL-MTH-AP	Keyed thumbturn trim & Pull handle for TEL-100 series (cyl. by others)			
Trim for manual locking Tridents, on individual trim plate, black finish (NON-HANDED)				
TEL-MTT	Keyed Thumbturn trim for TEL-100 series (cyl. by others)			
TEL-MTH	Keyed Thumbturn trim & Pull handle for TEL-100 series (cyl. by others)			
Trim for self-locking Tridents, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)				
TEL-KLT-AP	Keyed Lever trim for TEL-200 series (order handed)			
TEL-KDT-AP	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Secure)			
TEL-KRT-AP	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Safe)			
Trim for self-locking Tridents, on individual trim plate, 630 finish (LHR / RHR)				
TEL-KLT	Keyed Lever trim for TEL-200 series (order handed)			
TEL-KDT	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Secure)			
TEL-KRT	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Safe)			
Trim for delayed egress models, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)				
TEL-KLST-AP	Keyed lever trim w/delayed egress shunt switch.			
TEL-KDST-AP	Keyed Lever trim, 24 Volt DC release w/delayed egress shunt switch.			
All Trident Self-locking and Delayed Egress Trim Models Are Handed: Design				
CYLINDERS FOR TRIMS OR ALARMS				
TEL-MC1	Mortise cylinder standard keyway w/ operating keys, no special keying			
TEL-RC1	Removable core mortise cylinder with change and operating keys			
TEL-RC2	Removable core rim cylinder with change and operating keys			
CYLINDER and CAM Information				
IAL:	Removable Core rim cylinder provided with IAL lockset (contact factory for others)			
ALARMS:	Mortise cylinders (required w/ alarm - works with any cam); Order separately or by others			
TRIM:	Mortise cylinders (required w/ trim - cloverleaf cam recommended); Order separately or by others			
Custom Functions and Solutions Available: Please Contact the Factory for Consultation				

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ Platinum Dealer (cont.)



ASSA ABLOY

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com


MODEL	DESCRIPTION	LIST PRICE		
5	REPLACEMENT (Service) LEVER TRIM UNITS	SILVER	GOLD	PLATINUM
TEL-KLT-RB	Keyed lever trim only (630 finish); w/o anti-pry plate			
TEL-KLT-RS	Keyed lever trim only (630 finish); w/o anti-pry plate			
TEL-KDT-RB	Key / DC lever trim only (630 finish); w/o anti-pry plate			
TEL-KDT-RS	Key / DC lever trim only (630 finish); w/o anti-pry plate			

NEW!
LARGER, THICKER,
INTEGRATED KEY CONTROLLED TRIM
AND FULL SIZE
ANTI-PRY PLATE
Models Ending In "-AP"



Important Cylinder & Cam Information:

Mortise cylinder for alarms & keyed entry options are not provided, unless ordered as a separate item.



TRIM CYLINDER & CAM INFO:
Coverleaf cam is recommended for one-hand operation on all outside entry options. Cylinders 1" or longer can be used.

ALARM CYLINDER & CAM INFO:
A20 alarms will work with all mortise cylinder lengths and cams.

CYLINDER USAGE CHART

Model	Type	Cam
ALARMED MODELS		
TEL-*00	NONE	N/A
TEL-*10	MORTIS	ANY
TEL-*20	MORTISE	ANY
KEYED ENTRY MODELS		
All	Mortise	Cloverleaf

6	POPULAR FIELD INSTALLED OPTIONS	SILVER	GOLD	PLATINUM
TEL-HSB1	Additional Hinge Side Bolt provides fifth point of locking			
TEL-HSB3	HSB mounted on an extender plate to bypass f/s continuous hinge			
TEL-EI2	Armored alarm cable extension for oversize doors			
TEL-EK12	12" Upper extension for TEL-300 for over height doors			
TEL-EP2	24" Extended Paddle with Guarded Rubber Return			
TEL-EP4	18" Extended Paddle, 6" Filler Plate and Guarded Rubber Return			

Option for shipping lock to lock installer and power supply to another (typically electrician)

TEL-220-XPS	Self relocking Trident with direct power alarm less power supply			
TEL-501	Separate power supply for above (shipped in own box)			

Option for providing signal from lock for use with alarm by others:

TEL-SSO	Alarm Cable for 3rd Party Alarms for doors up to 36"			
TEL-SS5	Alarm Cable for 3rd Party Alarms for doors up to 48"			
TEL-ASO	Alarm Cable for Securitech Alarms for doors up to 36"			

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ Platinum Dealer (cont.)



54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com

MODEL	DESCRIPTION	LIST PRICE		
6 POPULAR FIELD INSTALLED OPTIONS continued		SILVER	GOLD	PLATINUM
TEL-AS5	Alarm Cable for Securitech Alarms for doors up to 48"			
TEL-PSK	PS2 Power Supply & board to upgrade A10 to direct power			
TEL-SS53	Bolt Monitor Switch, Armored cable & J Box. Doors up to 48"			
Option for running electrified exterior trim wire across the door within armored cable				
TEL-TCH	Armored Cable for Electrified Trim that Includes Alarm Signal			
TEL-TTH	Armored Cable for Electrified Trim without Alarm Connector			
For double door applications where inactive leaf lock provided by others				
TEL-DDA	Double Door Aluminum Angle Bracket (no lock included)			
Additional Options				
TEL-EP1	24" Extended paddle for doors 48" wide			
TEL-EP3	18" Extended paddle with 6" Filler Plate for doors 42" wide			
TEL-SSK1	Security screw set for alarm box with opening tool			
Special factory installed options which cannot be field applied				
(ADD)-CT	Digital L.C.D. counter			
(ADD)-CW	Lock prepped for concealed wire (8' lead)			
(ADD)-RO	Remote alarm output on A10 or A20 (for secondary signal)			
(ADD)-RS	Remote siren on A20 (for mounting away from door)			
TEL-AM1	Integrated door monitor switch for battery alarm			
TEL-AM2	Integrated door monitor switch for direct power alarm			

PRICING NOTES:

Special Pricing for Platinum Dealers Only - Minimum order quantity of 10 required for all Platinum priced items.

20% Surcharge for orders rushed under 72 hours - Subject to change & restrictions may apply

25% Surcharge for orders rushed under 24 hours - Subject to change & restrictions may apply

Drop ship fee applies to large orders with multiple ship to addresses

TRIDENT™ MD

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.securitech.com

Protecting for over TWO Decades!
Miami-Dade NOA rated

Watch the Video at
www.securitech.com/tridentmd



ASSA ABLOY



BACK DOOR BREAK-IN PREVENTION AT MARIJUANA DISPENSARIES & GROWHOUSES

Forced Entry Protection – up to 6 locking points, 5 standard
Retrofit to Any Existing Door – 2 hour installation time
Automatic Self-locking – each time the door closes
Meets Fire Codes – Single motion retracts all bolts

TRIDENT MD POPULAR MODEL PRICES (Specify handing)

MODEL	DESCRIPTION	LIST PRICE
1A DISPENSARY EXIT DOORS		
TEL-MD20	5 Point Self Relock, No Alarm	
TEL-MD21	5 Point Self relock with battery alarm (Alarm Cylinder Included)	
TEL-MD22	5 Point Self Relock with hardwire alarm (Alarm Cylinder Included)	
1B DISPENSARY EXIT DOORS – FIRE RATED MODELS		
TEL-MD20F	5 Point Self Relock, No Alarm	
TEL-MD21F	5 Point Self relock with battery alarm (Alarm Cylinder Included)	
TEL-MD22F	5 Point Self Relock with hardwire alarm (Alarm Cylinder Included)	
2 DELAYED EGRESS SYSTEM		
TEL-MD-DES	TridentMD Self-Locking + Delayed Egress System (Lock Included)	
TEL-DES-MD-KLST (-HAND)	TridentMD Self-Locking + Delayed Egress System (Lock Included) with keyed lever trim & delayed egress shunt switch	
TEL-DES-MD-KDST (-HAND)	TridentMD Self-Locking + Delayed Egress System (Lock Included) with 24vDC keyed lever trim & delayed egress shunt switch	
DELAYED EGRESS SYSTEM		
TEL-MD-DEK	Retrofit Elements For Existing Self Locking Trident Locks Only	
3 PAIR OF DOORS APPLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR		
TEL-MD-IAL	Inactive door package used with above single door locks. Includes double door aluminum angle bracket & 3-point keyed lock for inactive door only. Includes removable-core rim cylinder for 3-point keyed lock. Not for use where both doors need to be active.	
TEL-MD-IAT	Same as above but with a Thumbturn on the interior mechanism	
Pair doors application with Mullion		
Use 2 TEL-MD20 (one for each door)		
4 ALARM KITS (with Plug-In Alarm Cable)		
TEL-MD-A10	Battery alarm kit for use with all Tridents	
TEL-MD-A20	Direct Power alarm kit for use with all Tridents	

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ MD (con't)

54-60 46th Street
 Maspeth NY 11378
 800-622-LOCK
 Tel: 718-392-9000
 Fax: 718-392-8944
 Email: orders.securitech@assaabloy.com
 www.Securitech.com



ASSA ABLOY

MODEL	DESCRIPTION	LIST PRICE
5 EXTERIOR ENTRY OPTIONS (can be added in field)		
Keyed lever trim for self-locking models, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)		
TEL-MD-KLT-AP	keyed Lever trim for TEL-MD20 series (order handed)	
TEL-MD-KDT-AP	Keyed Lever trim with 24 Volt DC release for TEL-MD20 (Fail-Secure)	
TEL-MD-KRT-AP	Keyed Lever trim with 24 Volt DC release for TEL-MD20 (Fail-Safe)	
Keyed lever trim for delayed egress models, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)		
TEL-MD-KLST-AP	Keyed lever trim w/delayed egress shunt switch.	
TEL-MD-KDST-AP	Keyed Lever trim, 24 Volt DC release w/delayed egress shunt switch.	
All Trident Self-locking and Delayed Egress Trim Models Are Handed: Designate -LHR or -RHR		
Cylinders for Trims or Alarms		
TEL-MD-MC1	Mortise cylinder standard keyway, no special keying	
TEL-MD-RC1	Removable core mortise cylinder with change and operating keys	
TEL-MD-RC2	Removable core rim cylinder with change and operating keys	

CYLINDER and CAM Information

IAL:	Removable Core rim cylinder provided with IAL lockset (contact factory for others)	
ALARMS:	Mortise cylinders (required w/ alarm – works with any cam); Order separately or by others	
TRIM:	Mortise cylinders (required w/ trim – cloverleaf cam recommended); Order separately or by others	

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ MD (cont.)

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com




ASSA ABLOY

NEW!
LARGER, THICKER,
INTEGRATED KEY CONTROLLED TRIM
AND FULL SIZE
ANTI-PRY PLATE
Models Ending In "-AP"



Important Cylinder & Cam Information:

Mortise cylinder for alarms & keyed entry options are not provided, unless ordered as a separate item.



TRIM CYLINDER & CAM INFO:

Coverleaf cam is recommended for one-hand operation on all outside entry options. Cylinders 1" or longer can be used.

ALARM CYLINDER & CAM INFO:

A20 alarms will work with all mortise cylinder lengths and cams.

CYLINDER USAGE CHART

Model	Type	Cam
-------	------	-----

ALARMED MODELS

TEL-*00	NONE	N/A
TEL-*10	MORTIS	ANY
TEL-*20	MORTISE	ANY

KEYED ENTRY MODELS

All	Mortise	Cloverleaf
-----	---------	------------

MODEL	DESCRIPTION	LIST PRICE
6 POPULAR FIELD INSTALLED OPTIONS		
TEL-MD-HSB1	Additional Hinge Side Bolt provides fifth point of locking	
TEL-MD-HSB3	HSB mounted on an extender plate to bypass f/s continuous hinge	
TEL-MD-E12	Armored alarm cable extension for oversize doors	
TEL-MD-EK12	12" Upper extension for TEL-300 for over height doors	
TEL-MD-EP2	24" Extended Paddle with Guarded Rubber Return	
TEL-MD-EP4	18" Extended Paddle, 6" Filler Plate and Guarded Rubber Return	
Option for providing signal from lock for use with alarm by others:		
TEL-MD-ASO	Alarm Cable for Securitech Alarms. For doors up to 36"	
TEL-MD-AS5	Alarm Cable for Securitech Alarms. For doors up to 48"	
TEL-MD-PSK	Power Supply to upgrade A10 to direct power	
TEL-MD-SS53	Bolt Monitor Switch, Armored cable & J Box. Doors up to 48"	
For double door applications where inactive leaf lock provided by others		
TEL-MD-DDA	Double Door Aluminum Angle Bracket (no lock included)	
Additional Options		
TEL-MD-EP1	24" Extended paddle for doors 48" wide	
TEL-MD-EP3	18" Extended paddle with 6" Filler Plate for doors 42" wide	
TEL-MD-SSK1	Security screw set for alarm box with opening tool	

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ MD (cont.)

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



ASSA ABLOY

MODEL	DESCRIPTION	LIST PRICE
6 POPULAR FIELD INSTALLED OPTIONS continued		
(ADD)-CT	Digital L.C.D counter	
(ADD)-CW	Lock prepped for concealed wire (8' lead)	
(ADD)-RO	Remote alarm output on A10 or A20 (for secondary signal)	
(ADD)-RS	Remote siren on A20 (for mounting away from door)	
TEL-AM1	Integrated door monitor switch for battery alarm	
TEL-AM2	Integrated door monitor switch for direct power alarm	

TRIDENT™ 48MD

MODEL INFORMATION - 48MD1

5 Point Locking w/ Keyed Cylinder

Additional models & Options available as needed

Prevent break-ins at all your locations by installing both the TridentMD & 48MD the Belt & Suspenders approach!



TRIDENT 48MD POPULAR MODEL PRICES (Specify handing)

7 INVENTORY ROOM DOORS		
48MD1	5 Point Locking w/Keyed Cylinder for Inswing doors	
48MD2	5 Point Locking w/Keyed Cylinder for Outswing doors	
48MD3	5 Point Locking w/Keyed Cylinder for Inswing or Outswing doors	
48MD1A	"5 Point Locking w/Keyed Cylinder for Inswing doors with Alarm Output and Armored Cable"	
48MD2A	"5 Point Locking w/Keyed Cylinder for Outswing doors With Alarm Output and Armored Cable"	
48MD3A	"5 Point Locking w/Keyed Cylinder for Inswing or Outswing doors With Alarm Output and Armored Cable"	

Forced Entry Protection - up to 6 locking points, 5 standard

Retrofit to Any Existing Door - easily add to any existing inventory room

After Hours Locking - locked by key to prevent access at any time

Inside Thumbturn - never trapped inside inventory room

PRICING NOTES:

20% Surcharge for orders rushed under 72 hours - Subject to change & restrictions may apply

25% Surcharge for orders rushed under 24 hours - Subject to change & restrictions may apply

Drop ship fee applies to large orders with multiple ship to addresses

TRIDENT™ MD Silver Dealer

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com

Protecting for over TWO Decades!
Miami-Dade NOA rated

Watch the Video at
www.securitech.com/tridentmd



ASSA ABLOY



BACK DOOR BREAK-IN PREVENTION AT MARIJUANA DISPENSARIES & GROWHOUSES

Forced Entry Protection – up to 6 locking points, 5 standard
Retrofit to Any Existing Door – 2 hour installation time
Automatic Self-locking – each time the door closes
Meets Fire Codes – Single motion retracts all bolts

TRIDENT TEL-MD21 POPULAR MODEL PRICES (Specify handing)

MODEL	DESCRIPTION	LIST PRICE	
1A DISPENSARY EXIT DOORS		LIST	SILVER
TEL-MD20	5 Point Self Relock, No Alarm		
TEL-MD21	5 Point Self relock with battery alarm (Alarm Cylinder Included)		
TEL-MD22	5 Point Self Relock with hardwire alarm (Alarm Cylinder Included)		
1B DISPENSARY EXIT DOORS – FIRE RATED MODELS			
TEL-MD20F	5 Point Self Relock, No Alarm		
TEL-MD21F	5 Point Self relock with battery alarm (Alarm Cylinder Included)		
TEL-MD22F	5 Point Self Relock with hardwire alarm (Alarm Cylinder Included)		
2 DELAYED EGRESS SYSTEM			
TEL-MD-DES	TridentMD Self-Locking + Delayed Egress System (Lock Included)		
TEL-DES-MD-KLST (-HAND)	TridentMD Self-Locking + Delayed Egress System (Lock Included) with keyed lever trim & delayed egress shunt switch		
TEL-DES-MD-KDST (-HAND)	TridentMD Self-Locking + Delayed Egress System (Lock Included) with 24vDC keyed lever trim & delayed egress shunt switch		
DELAYED EGRESS SYSTEM			
TEL-MD-DEK	Retrofit Elements For Existing Self Locking Trident Locks Only		
3 PAIR OF DOORS APPLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR			
TEL-MD-IAL	Inactive door package used with above single door locks. Includes double door aluminum angle bracket & 3-point keyed lock for inactive door only. Includes removable-core rim cylinder for 3-point keyed lock. Not for use where both doors need to be active.		
TEL-MD-IAT	Same as above but with a Thumbturn on the interior mechanism		
Pair doors application with Mullion			
Use 2 TEL-MD20 (one for each door)			
4 ALARM KITS (with Plug-In Alarm Cable)			
TEL-MD-A10	Battery alarm kit for use with all Tridents		
TEL-MD-A20	Direct Power alarm kit for use with all Tridents		

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ MD Silver Dealer (con't)

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



MODEL	DESCRIPTION	LIST PRICE	
5 EXTERIOR ENTRY OPTIONS (can be added in field)		LIST	SILVER
Keyed lever trim for self-locking models, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)			
TEL-MD-KLT-AP	keyed Lever trim for TEL-MD20 series (order handed)		
TEL-MD-KDT-AP	Keyed Lever trim with 24 Volt DC release for TEL-MD20 (Fail-Secure)		
TEL-MD-KRT-AP	Keyed Lever trim with 24 Volt DC release for TEL-MD20 (Fail-Safe)		
Keyed lever trim for delayed egress models, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)			
TEL-MD-KLST-AP	Keyed lever trim w/delayed egress shunt switch.		
TEL-MD-KDST-AP	Keyed Lever trim, 24 Volt DC release w/delayed egress shunt switch.		
All Trident Self-locking and Delayed Egress Trim Models Are Handed: Designate -LHR or -RHR			
Cylinders for Trims or Alarms			
TEL-MD-MC1	Mortise cylinder standard keyway, no special keying		
TEL-MD-RC1	Removable core mortise cylinder with change and operating keys		
TEL-MD-RC2	Removable core rim cylinder with change and operating keys		

CYLINDER and CAM Information

IAL:	Removable Core rim cylinder provided with IAL lockset (contact factory for others)		
ALARMS:	Mortise cylinders (required w/ alarm - works with any cam); Order separately or by others		
TRIM:	Mortise cylinders (required w/ trim - cloverleaf cam recommended); Order separately or by others		

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ MD Silver Dealer (con't)



ASSA ABLOY


54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com

NEW!
LARGER, THICKER,
INTEGRATED KEY CONTROLLED TRIM
AND FULL SIZE
ANTI-PRY PLATE
Models Ending In "-AP"



Important Cylinder & Cam Information:

Mortise cylinder for alarms & keyed entry options are not provided, unless ordered as a separate item.



TRIM CYLINDER & CAM INFO:

Coverleaf cam is recommended for one-hand operation on all outside entry options. Cylinders 1" or longer can be used.

ALARM CYLINDER & CAM INFO:

A20 alarms will work with all mortise cylinder lengths and cams.

CYLINDER USAGE CHART

Model	Type	Cam
-------	------	-----

ALARMED MODELS

TEL-*00	NONE	N/A
TEL-*10	MORTIS	ANY
TEL-*20	MORTISE	ANY

KEYED ENTRY MODELS

All	Mortise	Cloverleaf
-----	---------	------------

MODEL	DESCRIPTION	LIST PRICE	
6 POPULAR FIELD INSTALLED OPTIONS		LIST	SILVER
TEL-MD-HSB1	Additional Hinge Side Bolt provides fifth point of locking		
TEL-MD-HSB3	HSB mounted on an extender plate to bypass f/s continuous hinge		
TEL-MD-E12	Armored alarm cable extension for oversize doors		
TEL-MD-EK12	12" Upper extension for TEL-300 for over height doors		
TEL-MD-EP2	24" Extended Paddle with Guarded Rubber Return		
TEL-MD-EP4	18" Extended Paddle, 6" Filler Plate and Guarded Rubber Return		
Option for providing signal from lock for use with alarm by others:			
TEL-MD-ASO	Alarm Cable for Securitech Alarms. For doors up to 36"		
TEL-MD-AS5	Alarm Cable for Securitech Alarms. For doors up to 48"		
TEL-MD-PSK	Power Supply to upgrade A10 to direct power		
TEL-MD-SS53	Bolt Monitor Switch, Armored cable & J Box. Doors up to 48"		
For double door applications where inactive leaf lock provided by others			
TEL-MD-DDA	Double Door Aluminum Angle Bracket (no lock included)		
Additional Options			
TEL-MD-EP1	24" Extended paddle for doors 48" wide		
TEL-MD-EP3	18" Extended paddle with 6" Filler Plate for doors 42" wide		
TEL-MD-SSK1	Security screw set for alarm box with opening tool		

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ MD Silver Dealer (cont.)

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



ASSA ABLOY

MODEL	DESCRIPTION	LIST PRICE	
6	POPULAR FIELD INSTALLED OPTIONS continued	LIST	SILVER
(ADD)-CT	Digital L.C.D counter		
(ADD)-CW	Lock prepped for concealed wire (8' lead)		
(ADD)-RO	Remote alarm output on A10 or A20 (for secondary signal)		
(ADD)-RS	Remote siren on A20 (for mounting away from door)		
TEL-AM1	Integrated door monitor switch for battery alarm		
TEL-AM2	Integrated door monitor switch for direct power alarm		

TRIDENT™ 48MD

MODEL INFORMATION - 48MD1

5 Point Locking w/ Keyed Cylinder

Additional models & Options available as needed

Prevent break-ins at all your locations by installing both the TridentMD & 48MD the Belt & Suspenders approach!



TRIDENT 48MD POPULAR MODEL PRICES (Specify handing)

7	INVENTORY ROOM DOORS		
48MD1	5 Point Locking w/Keyed Cylinder for Inswing doors		
48MD2	5 Point Locking w/Keyed Cylinder for Outswing doors		
48MD3	5 Point Locking w/Keyed Cylinder for Inswing or Outswing doors		
48MD1A	"5 Point Locking w/Keyed Cylinder for Inswing doors with Alarm Output and Armored Cable"		
48MD2A	"5 Point Locking w/Keyed Cylinder for Outswing doors With Alarm Output and Armored Cable"		
48MD3A	"5 Point Locking w/Keyed Cylinder for Inswing or Outswing doors With Alarm Output and Armored Cable"		

Forced Entry Protection - up to 6 locking points, 5 standard

Retrofit to Any Existing Door - easily add to any existing inventory room

After Hours Locking - locked by key to prevent access at any time

Inside Thumbturn - never trapped inside inventory room

PRICING NOTES:

20% Surcharge for orders rushed under 72 hours - Subject to change & restrictions may apply

25% Surcharge for orders rushed under 24 hours - Subject to change & restrictions may apply

Drop ship fee applies to large orders with multiple ship to addresses

TRIDENT™ MD Gold Dealer

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com

Protecting for over TWO Decades!
Miami-Dade NOA rated

Watch the Video at
www.securitech.com/tridentmd



ASSA ABLOY



BACK DOOR BREAK-IN PREVENTION AT MARIJUANA DISPENSARIES & GROWHOUSES

Forced Entry Protection – up to 6 locking points, 5 standard
Retrofit to Any Existing Door – 2 hour installation time
Automatic Self-locking – each time the door closes
Meets Fire Codes – Single motion retracts all bolts

TRIDENT TEL-MD21 POPULAR MODEL PRICES (Specify handing)

MODEL		DESCRIPTION		LIST PRICE		
1A DISPENSARY EXIT DOORS				LIST	SILVER	GOLD
TEL-MD20		5 Point Self Relock, No Alarm				
TEL-MD21		5 Point Self relock with battery alarm (Alarm Cylinder Included)				
TEL-MD22		5 Point Self Relock with hardwire alarm (Alarm Cylinder Included)				
1B DISPENSARY EXIT DOORS - FIRE RATED MODELS						
TEL-MD20F		5 Point Self Relock, No Alarm				
TEL-MD21F		5 Point Self relock with battery alarm (Alarm Cylinder Included)				
TEL-MD22F		5 Point Self Relock with hardwire alarm (Alarm Cylinder Included)				
2 DELAYED EGRESS SYSTEM						
TEL-MD-DES		TridentMD Self-Locking + Delayed Egress System (Lock Included)				
TEL-DES-MD-KLST (-HAND)		TridentMD Self-Locking + Delayed Egress System (Lock Included) with keyed lever trim & delayed egress shunt switch				
TEL-DES-MD-KDST (-HAND)		TridentMD Self-Locking + Delayed Egress System (Lock Included) with 24vDC keyed lever trim & delayed egress shunt switch				
DELAYED EGRESS SYSTEM						
TEL-MD-DEK		Retrofit Elements For Existing Self Locking Trident Locks Only				
3 PAIR OF DOORS APPLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR						
TEL-MD-IAL		Inactive door package used with above single door locks. Includes double door aluminum angle bracket & 3-point keyed lock for inactive door only. Includes removable-core rim cylinder for 3-point keyed lock. Not for use where both doors need to be active.				
TEL-MD-IAT		Same as above but with a Thumbturn on the interior mechanism				
Pair doors application with Mullion						
		Use 2 TEL-MD20 (one for each door)				
4 ALARM KITS (with Plug-In Alarm Cable)						
TEL-MD-A10		Battery alarm kit for use with all Tridents				
TEL-MD-A20		Direct Power alarm kit for use with all Tridents				

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ MD Gold Dealer (con't)

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



MODEL	DESCRIPTION	LIST PRICE		
5 EXTERIOR ENTRY OPTIONS (can be added in field)		LIST	SILVER	GOLD
Keyed lever trim for self-locking models, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)				
TEL-MD-KLT-AP	keyed Lever trim for TEL-MD20 series (order handed)			
TEL-MD-KDT-AP	Keyed Lever trim with 24 Volt DC release for TEL-MD20 (Fail-Secure)			
TEL-MD-KRT-AP	Keyed Lever trim with 24 Volt DC release for TEL-MD20 (Fail-Safe)			
Keyed lever trim for delayed egress models, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)				
TEL-MD-KLST-AP	Keyed lever trim w/delayed egress shunt switch.			
TEL-MD-KDST-AP	Keyed Lever trim, 24 Volt DC release w/delayed egress shunt switch.			
All Trident Self-locking and Delayed Egress Trim Models Are Handed: Designate -LHR or -RHR				
Cylinders for Trims or Alarms				
TEL-MD-MC1	Mortise cylinder standard keyway, no special keying			
TEL-MD-RC1	Removable core mortise cylinder with change and operating keys			
TEL-MD-RC2	Removable core rim cylinder with change and operating keys			

CYLINDER and CAM Information				
IAL:	Removable Core rim cylinder provided with IAL lockset (contact factory for others)			
ALARMS:	Mortise cylinders (required w/ alarm - works with any cam); Order separately or by others			
TRIM:	Mortise cylinders (required w/ trim - cloverleaf cam recommended); Order separately or by others			

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ MD Gold Dealer (con't)



ASSA ABLOY


54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com

NEW!
LARGER, THICKER,
INTEGRATED KEY CONTROLLED TRIM
AND FULL SIZE
ANTI-PRY PLATE
Models Ending In "-AP"



Important Cylinder & Cam Information:

Mortise cylinder for alarms & keyed entry options are not provided, unless ordered as a separate item.



TRIM CYLINDER & CAM INFO:
Coverleaf cam is recommended for one-hand operation on all outside entry options. Cylinders 1" or longer can be used.

ALARM CYLINDER & CAM INFO:
A20 alarms will work with all mortise cylinder lengths and cams.

CYLINDER USAGE CHART

Model	Type	Cam
-------	------	-----

ALARMED MODELS

TEL-*00	NONE	N/A
TEL-*10	MORTIS	ANY
TEL-*20	MORTISE	ANY

KEYED ENTRY MODELS

All	Mortise	Cloverleaf
-----	---------	------------

MODEL	DESCRIPTION	LIST PRICE		
6 POPULAR FIELD INSTALLED OPTIONS		LIST	SILVER	GOLD
TEL-MD-HSB1	Additional Hinge Side Bolt provides fifth point of locking			
TEL-MD-HSB3	HSB mounted on an extender plate to bypass f/s continuous hinge			
TEL-MD-E12	Armored alarm cable extension for oversize doors			
TEL-MD-EK12	12" Upper extension for TEL-300 for over height doors			
TEL-MD-EP2	24" Extended Paddle with Guarded Rubber Return			
TEL-MD-EP4	18" Extended Paddle, 6" Filler Plate and Guarded Rubber Return			
Option for providing signal from lock for use with alarm by others:				
TEL-MD-ASO	Alarm Cable for Securitech Alarms. For doors up to 36"			
TEL-MD-AS5	Alarm Cable for Securitech Alarms. For doors up to 48"			
TEL-MD-PSK	Power Supply to upgrade A10 to direct power			
TEL-MD-SS53	Bolt Monitor Switch, Armored cable & J Box. Doors up to 48"			
For double door applications where inactive leaf lock provided by others				
TEL-MD-DDA	Double Door Aluminum Angle Bracket (no lock included)			
Additional Options				
TEL-MD-EP1	24" Extended paddle for doors 48" wide			
TEL-MD-EP3	18" Extended paddle with 6" Filler Plate for doors 42" wide			
TEL-MD-SSK1	Security screw set for alarm box with opening tool			

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ MD Gold Dealer (con't)

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



ASSA ABLOY

MODEL	DESCRIPTION	LIST PRICE		
6	POPULAR FIELD INSTALLED OPTIONS continued	LIST	SILVER	GOLD
(ADD)-CT	Digital L.C.D counter			
(ADD)-CW	Lock prepped for concealed wire (8' lead)			
(ADD)-RO	Remote alarm output on A10 or A20 (for secondary signal)			
(ADD)-RS	Remote siren on A20 (for mounting away from door)			
TEL-AM1	Integrated door monitor switch for battery alarm			
TEL-AM2	Integrated door monitor switch for direct power alarm			

TRIDENT™ 48MD Gold Dealer

MODEL INFORMATION - 48MD1

5 Point Locking w/ Keyed Cylinder

Additional models & Options available as needed

Prevent break-ins at all your locations by installing both the TridentMD & 48MD the Belt & Suspenders approach!



TRIDENT 48MD POPULAR MODEL PRICES (Specify handing)

7	INVENTORY ROOM DOORS			
48MD1	5 Point Locking w/Keyed Cylinder for Inswing doors			
48MD2	5 Point Locking w/Keyed Cylinder for Outswing doors			
48MD3	5 Point Locking w/Keyed Cylinder for Inswing or Outswing doors			
48MD1A	"5 Point Locking w/Keyed Cylinder for Inswing doors with Alarm Output and Armored Cable"			
48MD2A	"5 Point Locking w/Keyed Cylinder for Outswing doors With Alarm Output and Armored Cable"			
48MD3A	"5 Point Locking w/Keyed Cylinder for Inswing or Outswing doors With Alarm Output and Armored Cable"			

Forced Entry Protection - up to 6 locking points, 5 standard

Retrofit to Any Existing Door - easily add to any existing inventory room

After Hours Locking - locked by key to prevent access at any time

Inside Thumbturn - never trapped inside inventory room

PRICING NOTES:

20% Surcharge for orders rushed under 72 hours - Subject to change & restrictions may apply

25% Surcharge for orders rushed under 24 hours - Subject to change & restrictions may apply

Drop ship fee applies to large orders with multiple ship to addresses

TRIDENT™ MD IML Dealer

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.securitech.com

Protecting for over TWO Decades!
Miami-Dade NOA rated

Watch the Video at
www.securitech.com/tridentmd



ASSA ABLOY



BACK DOOR BREAK-IN PREVENTION AT MARIJUANA DISPENSARIES & GROWHOUSES

Forced Entry Protection – up to 6 locking points, 5 standard
Retrofit to Any Existing Door – 2 hour installation time
Automatic Self-locking – each time the door closes
Meets Fire Codes – Single motion retracts all bolts

TRIDENT TEL-MD21 POPULAR MODEL PRICES (Specify handing)

MODEL		DESCRIPTION		LIST PRICE		
1A DISPENSARY EXIT DOORS				LIST		NET
TEL-MD20		5 Point Self Relock, No Alarm				
TEL-MD21		5 Point Self relock with battery alarm (Alarm Cylinder Included)				
TEL-MD22		5 Point Self Relock with hardwire alarm (Alarm Cylinder Included)				
1B DISPENSARY EXIT DOORS – FIRE RATED MODELS						
TEL-MD20F		5 Point Self Relock, No Alarm				
TEL-MD21F		5 Point Self relock with battery alarm (Alarm Cylinder Included)				
TEL-MD22F		5 Point Self Relock with hardwire alarm (Alarm Cylinder Included)				
2 DELAYED EGRESS SYSTEM						
TEL-MD-DES		TridentMD Self-Locking + Delayed Egress System (Lock Included)				
TEL-DES- MD-KLST (-HAND)		TridentMD Self-Locking + Delayed Egress System (Lock Included) with keyed lever trim & delayed egress shunt switch				
TEL-DES- MD-KDST (-HAND)		TridentMD Self-Locking + Delayed Egress System (Lock Included) with 24vDC keyed lever trim & delayed egress shunt switch				
DELAYED EGRESS SYSTEM						
TEL-MD-DEK		Retrofit Elements For Existing Self Locking Trident Locks Only				
3 PAIR OF DOORS APPLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR						
TEL-MD-IAL		Inactive door package used with above single door locks. Includes double door aluminum angle bracket & 3-point keyed lock for inactive door only. Includes removable-core rim cylinder for 3-point keyed lock. Not for use where both doors need to be active.				
TEL-MD-IAT		Same as above but with a Thumbturn on the interior mechanism				
Pair doors application with Mullion						
		Use 2 TEL-MD20 (one for each door)				
4 ALARM KITS (with Plug-In Alarm Cable)						
TEL-MD-A10		Battery alarm kit for use with all Tridents				
TEL-MD-A20		Direct Power alarm kit for use with all Tridents				

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ MD IML Dealer (con't)

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



ASSA ABLOY

MODEL		DESCRIPTION	LIST PRICE		
5 EXTERIOR ENTRY OPTIONS (can be added in field)			LIST		NET
Keyed lever trim for self-locking models, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)					
TEL-MD-KLT-AP	keyed Lever trim for TEL-MD20 series (order handed)				
TEL-MD-KDT-AP	Keyed Lever trim with 24 Volt DC release for TEL-MD20 (Fail-Secure)				
TEL-MD-KRT-AP	Keyed Lever trim with 24 Volt DC release for TEL-MD20 (Fail-Safe)				
Keyed lever trim for delayed egress models, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)					
TEL-MD-KLST-AP	Keyed lever trim w/delayed egress shunt switch.				
TEL-MD-KDST-AP	Keyed Lever trim, 24 Volt DC release w/delayed egress shunt switch.				
All Trident Self-locking and Delayed Egress Trim Models Are Handed: Designate -LHR or -RHR					
Cylinders for Trims or Alarms					
TEL-MD-MC1	Mortise cylinder standard keyway, no special keying				
TEL-MD-RC1	Removable core mortise cylinder with change and operating keys				
TEL-MD-RC2	Removable core rim cylinder with change and operating keys				

CYLINDER and CAM Information						
IAL:		Removable Core rim cylinder provided with IAL lockset (contact factory for others)				
ALARMS:		Mortise cylinders (required w/ alarm - works with any cam); Order separately or by others				
TRIM:		Mortise cylinders (required w/ trim - cloverleaf cam recommended); Order separately or by others				

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ MD IML Dealer (con't)



ASSA ABLOY


54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com

NEW!
LARGER, THICKER,
INTEGRATED KEY CONTROLLED TRIM
AND FULL SIZE
ANTI-PRY PLATE
Models Ending In "-AP"



Important Cylinder & Cam Information:

Mortise cylinder for alarms & keyed entry options are not provided, unless ordered as a separate item.



TRIM CYLINDER & CAM INFO:
Coverleaf cam is recommended for one-hand operation on all outside entry options. Cylinders 1" or longer can be used.

ALARM CYLINDER & CAM INFO:
A20 alarms will work with all mortise cylinder lengths and cams.

CYLINDER USAGE CHART

Model	Type	Cam
-------	------	-----

ALARMED MODELS

TEL-*00	NONE	N/A
TEL-*10	MORTIS	ANY
TEL-*20	MORTISE	ANY

KEYED ENTRY MODELS

All	Mortise	Cloverleaf
-----	---------	------------

MODEL	DESCRIPTION	LIST PRICE		
6 POPULAR FIELD INSTALLED OPTIONS		LIST		NET
TEL-MD-HSB1	Additional Hinge Side Bolt provides fifth point of locking			
TEL-MD-HSB3	HSB mounted on an extender plate to bypass f/s continuous hinge			
TEL-MD-EI2	Armored alarm cable extension for oversize doors			
TEL-MD-EK12	12" Upper extension for TEL-300 for over height doors			
TEL-MD-EP2	24" Extended Paddle with Guarded Rubber Return			
TEL-MD-EP4	18" Extended Paddle, 6" Filler Plate and Guarded Rubber Return			
Option for providing signal from lock for use with alarm by others:				
TEL-MD-ASO	Alarm Cable for Securitech Alarms. For doors up to 36"			
TEL-MD-AS5	Alarm Cable for Securitech Alarms. For doors up to 48"			
TEL-MD-PSK	Power Supply to upgrade A10 to direct power			
TEL-MD-SS53	Bolt Monitor Switch, Armored cable & J Box. Doors up to 48"			
For double door applications where inactive leaf lock provided by others				
TEL-MD-DDA	Double Door Aluminum Angle Bracket (no lock included)			
Additional Options				
TEL-MD-EP1	24" Extended paddle for doors 48" wide			
TEL-MD-EP3	18" Extended paddle with 6" Filler Plate for doors 42" wide			
TEL-MD-SSK1	Security screw set for alarm box with opening tool			

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ MD IML Dealer (con't)

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



ASSA ABLOY

MODEL	DESCRIPTION	LIST PRICE		
6	POPULAR FIELD INSTALLED OPTIONS continued	LIST		NET
(ADD)-CT	Digital L.C.D counter			
(ADD)-CW	Lock prepped for concealed wire (8' lead)			
(ADD)-RO	Remote alarm output on A10 or A20 (for secondary signal)			
(ADD)-RS	Remote siren on A20 (for mounting away from door)			
TEL-AM1	Integrated door monitor switch for battery alarm			
TEL-AM2	Integrated door monitor switch for direct power alarm			

TRIDENT™ 48MD Gold Dealer

MODEL INFORMATION - 48MD1

5 Point Locking w/ Keyed Cylinder

Additional models & Options available as needed

Prevent break-ins at all your locations by installing both the TridentMD & 48MD the Belt & Suspenders approach!



TRIDENT 48MD POPULAR MODEL PRICES (Specify handing)

7	INVENTORY ROOM DOORS			
48MD1	5 Point Locking w/Keyed Cylinder for Inswing doors			
48MD2	5 Point Locking w/Keyed Cylinder for Outswing doors			
48MD3	5 Point Locking w/Keyed Cylinder for Inswing or Outswing doors			
48MD1A	"5 Point Locking w/Keyed Cylinder for Inswing doors with Alarm Output and Armored Cable"			
48MD2A	"5 Point Locking w/Keyed Cylinder for Outswing doors With Alarm Output and Armored Cable"			
48MD3A	"5 Point Locking w/Keyed Cylinder for Inswing or Outswing doors With Alarm Output and Armored Cable"			

Forced Entry Protection - up to 6 locking points, 5 standard

Retrofit to Any Existing Door - easily add to any existing inventory room

After Hours Locking - locked by key to prevent access at any time

Inside Thumbturn - never trapped inside inventory room

PRICING NOTES:

20% Surcharge for orders rushed under 72 hours - Subject to change & restrictions may apply

25% Surcharge for orders rushed under 24 hours - Subject to change & restrictions may apply

Drop ship fee applies to large orders with multiple ship to addresses


TRIDENT™ KDX Dealer

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com

Protecting for over TWO Decades!
Miami-Dade NOA rated



ASSA ABLOY



The integrated keypad on the KDX allows a simple access control system with easier installation. Simply pair the KDX with a Trident on a single location to provide a controlled entryway to any of your facilities. With the built in lockout, a keyholder can lockout the keypad after hours. Simply using the key again will unlock the keypad.

- 200 Users
- Water & Dust Proof
- Vandal Proof
- Ideal for High Traffic
- Tamper Proof
- Weather Proof

TRIDENT KDX POPULAR MODEL PRICES (Specify handing)









MODEL	DESCRIPTION		
TEL-KDX-AP-(LHR/RHR)-KIT-A		LIST PRICE	Everything Included
TEL-KDX-AP	KDT-AP Trim only		
Keypad	Non-controller KeyPad		
TEL-A20-KDX	A20-XPS-TCH		
PS-504	Power Supply		
2020 List Cost Total			
TEL-KDX-AP-(LHR/RHR)-KIT-B Model Breakdown			No Alarm
TEL-KDT-AP	KDT-AP Trim only		
Keypad	Non-controller KeyPad		
TEL-TCH	TEL-TCH Cable		
PS-504	Power Supply		
2020 List Cost Total			
TEL-KDX-AP-(LHR/RHR) Model Breakdown			Replacement trim and keypad only
TEL-KDT-AP	KDT-AP Trim only		
Keypad	Non-controller KeyPad		
2020 List Cost Total			

TRIDENT™ Special Models Dealer

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



ASSA ABLOY

MODEL	DESCRIPTION	LIST PRICE		
1 SPECIAL MODELS		SILVER	GOLD	PLATINUM
TEL-102H	TEL-100 + TEL-SSO	PLATINUM ONLY		
TEL-102H-EP3	TEL-100 + TEL-SSO + TEL-EP3			
TEL-104	TEL-100 + TEL-ELR			
TEL-210-C	TEL-200 + TEL-A10 + LCD Digital Counter			
TEL-210F-C	TEL-200F + TEL-A10 + LCD Digital Counter			
TEL-202HF	TEL-200F + TEL-SSO			
TEL-202H-EP3	TEL-200 + TEL-SSO + TEL-EP3			
TEL-EED21	TEL-104 + TEL-MTH			
TEL-IAF	Fired Rated TEL-IAL			
TEL-481	2 Point Vertical Locking w/ Removable Core Cyl (Int.)			
TEL-482	2 Point Vertical Locking w/ Thumb Turn (Int.)			
2 DOOR REINFORCEMENT KITS - Please contact Securitech for more details				
TEL-HSAPP3	Bottom of door and hinge-side reinforcement kit			
TEL-HSS	TEL-HSAPP3 with TEL-HSB1			
TEL-MAX-H	Lower door reinforcement kit - horizontal mounting			
TEL-MAX-V	Lower door reinforcement kit - horizontal & vertical mounting			
TEL-RAPS-HAND	Lower door lock edge pry protection kit (LHR / RHR)			
3A MECHANICAL EXTERIOR ENTRY TRIMS				
TEL-KLT-G1-630	TEL-KLT with G1 Lever Style (LHR / RHR)			
TEL-KLT-G2-630	TEL-KLT with G2 Lever Style (LHR / RHR)			
TEL-KLT-G3-630	TEL-KLT with G3 Lever Style (LHR / RHR)			
TEL-KLT-G4-630	TEL-KLT with G4 Lever Style (LHR / RHR)			
3B MECHANICAL EXTERIOR ENTRY TRIMS				
TEL-KDT-G1-630	TEL-KDT with G1 Lever Style (LHR / RHR)			
TEL-KDT-G2-630	TEL-KDT with G2 Lever Style (LHR / RHR)			
TEL-KDT-G3-630	TEL-KDT with G3 Lever Style (LHR / RHR)			
TEL-KDT-G4-630	TEL-KDT with G4 Lever Style (LHR / RHR)			
3B MECHANICAL EXTERIOR ENTRY TRIMS				
TEL-A20-XPS	TEL-A20 Less Power Supply			
TEL-A10-LDO	TEL-A10 with Last door out feature			
TEL-A20-LDO	TEL-A20 with Last door out feature			
TEL-EKS	Exterior Key Switch			
TEL-DLM-18	18" Extension Cable for TEL-DLM			
TEL-104-18	18" Extension Cable for TEL-104			

PRICING NOTES:








20% Surcharge for orders rushed under 72 hours - Subject to change & restrictions may apply
25% Surcharge for orders rushed under 24 hours - Subject to change & restrictions may apply
Drop ship fee applies to large orders with multiple ship to addresses

TRIDENT™ Special Models Dealer

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



ASSA ABLOY

MODEL	DESCRIPTION	LIST PRICE		
1 SPECIAL MODELS		2025 List		
TEL-102H	TEL-100 + TEL-SSO			
TEL-102H-EP3	TEL-100 + TEL-SSO + TEL-EP3			
TEL-104	TEL-100 + TEL-ELR			
TEL-210-C	TEL-210 + LCD Digital Counter			
TEL-210F-C	TEL-210F + LCD Digital Counter			
TEL-202HF	TEL-200F + TEL-SSO			
TEL-202H-EP3	TEL-200 + TEL-SSO + TEL-EP3			
TEL-EED21	TEL-104 + TEL-MTH			
TEL-IAF	Fired Rated TEL-IAL			
TEL-481	2 Point Vertical Locking w/ Removable Core Cyl (Int.)			
TEL-482	2 Point Vertical Locking w/ Thumb Turn (Int.)			
2 DOOR REINFORCEMENT KITS - Please contact Securitech for more details				
TEL-HSAPP3	Bottom of door and hinge-side reinforcement kit			
TEL-HSS	TEL-HSAPP3 with TEL-HSB1			
TEL-MAX-H	Lower door reinforcement kit - horizontal mounting			
TEL-MAX-V	Lower door reinforcement kit - horizontal & vertical mounting			
TEL-RAPS-HAND	Lower door lock edge pry protection kit (LHR / RHR)			
3A MECHANICAL EXTERIOR ENTRY TRIMS				
TEL-KLT-G1-630	TEL-KLT with G1 Lever Style (LHR / RHR)			
TEL-KLT-G2-630	TEL-KLT with G2 Lever Style (LHR / RHR)			
TEL-KLT-G3-630	TEL-KLT with G3 Lever Style (LHR / RHR)			
TEL-KLT-G4-630	TEL-KLT with G4 Lever Style (LHR / RHR)			
3B MECHANICAL EXTERIOR ENTRY TRIMS				
TEL-KDT-G1-630	TEL-KDT with G1 Lever Style (LHR / RHR)			
TEL-KDT-G2-630	TEL-KDT with G2 Lever Style (LHR / RHR)			
TEL-KDT-G3-630	TEL-KDT with G3 Lever Style (LHR / RHR)			
TEL-KDT-G4-630	TEL-KDT with G4 Lever Style (LHR / RHR)			
3B MECHANICAL EXTERIOR ENTRY TRIMS				
TEL-A20-XPS	TEL-A20 Less Power Supply			
TEL-A10-LDO	TEL-A10 with Last door out feature			
TEL-A20-LDO	TEL-A20 with Last door out feature			
TEL-EKS	Exterior Key Switch			
TEL-DLM-18	18" Extension Cable for TEL-DLM			
TEL-104-18	18" Extension Cable for TEL-104			

PRICING NOTES:

20% Surcharge for orders rushed under 72 hours - Subject to change & restrictions may apply
25% Surcharge for orders rushed under 24 hours - Subject to change & restrictions may apply
Drop ship fee applies to large orders with multiple ship to addresses

TRIDENT™ Replacement Parts

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



ASSA ABLOY

LOCK BODY AND MODULES

TRIDENT FIELD REPLACEMENT ASSEMBLY (TFRA)



Usage:

Damaged modules, cables or multiple issues

Information:

The Trident is furnished with the modules factory installed to ensure proper function when installed according to the steel template furnished with each Trident and proper mounting of the strike and drilling on the frame holes.

TFRA allows door self and manual locking Trident replacements with retention and reuse of the existing paddle, strike, channels, module covers, anti-pry plate (or other exterior trim), hinge-side bolt(s) and fasteners.

TFRA Repair Program:

Removed Trident assemblies can be returned to Securitech for review and repair. An repair evaluation will be performed and an estimate provided prior to any work. Return units can be used for future service, if needed.

PN: **10152701**
(Self-Locking)

PN: **10152702**
(Manual Locking)

NON-HANDED

PADDLES



TEL-PBAG-EV1: 12" Standard Paddle



TEL-PBAG-EV1-RSEG: 12" Rubber Strap Paddle

SELF-LOCKING TRIGGER



PL-065: Replacement trigger replaces worn-out or damaged trigger.

PADDLE ARM



10029701: Paddle arm with pin assembly

LOCK BODY AND MODULES

TRIDENT FIELD REPLACEMENT ASSEMBLY (TFRA)



Usage:

Damaged self-locking lock mechanism only

Information:

A qualified technician can remove the cable connection and reinstall them to the new lock mechanism, which is prepared for this service work.

TFRM allows for retention of all elements while replacing the primary lock mechanism. Please note the lock body is never shipped individually and disassembling of the full assembly and replacement of an individual item is not an option.

PN: **TEL-FRM2**
(Self-locking Only)

NON-HANDED

ALARM AND SIGNAL CABLES



Contact Securitech
For longer Cables

TEL-ASO: Reed Contact Cable for Securitech Alarms for Doors up to 36". Two Conductor Wire Cable.

TEL-SSO: Reed Contact Cable for 3rd Party Alarms for Doors up to 36". Three Conductor Wire Cable.

COMPLETE ALARMS



TEL-A20: Hardwired alarm with battery backup includes the power supply, alarm box, two Procell batteries, contact cable and cable From alarm box to power supply. Cylinder not included.



TEL-A10: Battery operated alarm (9v) includes the alarm box, two Procell batteries, and contact cable. Cylinder not included.

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ Replacement Parts

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



ASSA ABLOY

LOCK BODY AND MODULES

ADDITIONAL PARTS



TEL-A-AAP1: Anti-pry plate



TEL-HSB1: Additional Hinge Side Bolt for Extra Locking Points



TEL-A-SPI: Strike for the center deadbolt with fasteners

LOCK BODY AND MODULES

DIRECT POWER SUPPLY





TEL-501: Power Supply only for TEL-A10 alarm.

ALARM BOARD AND SWITCH ASSEMBLY



TEL-501: Power Supply only for TEL-A10 alarm.
















IMAGE	MODEL	DESCRIPTION	LIST PRICE
TRIDENT EXIT DEVICE			
	10152701	"Trident Field Replacement Assembly- Self-Locking Does Not Include: Paddle, Strike, Channels, Module Covers, Anti-Pry Plate, Hinge-Side Bolt(s) and Fasteners."	
	10152702	"Trident Field Replacement Assembly- Manual-Locking Does Not Include: Paddle, Strike, Channels, Module Covers, Anti-Pry Plate, Pull Handle, Hinge-Side Bolt(s) and Fasteners."	
	TEL-FRM2	"Trident Field Replacement Mechanism Self-Locking Only Modified to Allow Vertical Cables to be Reattached. Does not included any accessories listed above."	

TRIDENT™ Replacement Parts

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



ASSA ABLOY

IMAGE	MODEL	DESCRIPTION	LIST PRICE
TRIDENT EXIT DEVICE continued			
	PL-065	Trident Self-Locking Trigger	
	10029701	Paddle Arm with Pin Assembly	
	TEL-PBAG-EV1	12" Paddle with Fasteners	
	TEL-PBAG-EV1-RSEG	12" Paddle with Rubber Strap and Fasteners	
	101845-01-000	Emergency Paddle Label for Trident Exit Device (RED)	
	TEL-A-CH1A	One Aluminum Channel	
	TEL-A-SP-1	Strike for the Center Deadbolt with Fasteners	
	TEL-HSB1	Additional Hinge Side Bolt for Extra Locking Points	
	TEL-A-PH-1	Pull Handle for Manual-Locking Tridents	
	TEL-A-APP-1	Full Size Anti-Pry Plate for Exit Device Only	
	100810-01	Module Cover - RHR Top / LHR Bottom	
	100810-02	Module Cover - RHR Bottom / LHR Top	
	100824-01-102	Hex Nut that Secures the Module Covers to the Trident	
	104962-01-000	1" Paddle Filler Plate	
	101513-01-102	#1/4-20 K-Locknut - For Fire-Rated Tridents	

CONTINUE MODEL BUILDING ON THE NEXT PAGE

TRIDENT™ Replacement Parts



ASSA ABLOY

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com


IMAGE	MODEL	DESCRIPTION	LIST PRICE
TRIDENT ALARM			
	TEL-A20	"Hardwired Alarm with Battery Backup Includes the Power Supply, Alarm box, Two Procell Batteries, Contact Cable and Cable From Alarm Box to Power Supply. Cylinder not included."	
	TEL-A10	"Battery Operated Alarm (9v) Includes the Alarm box, Two Procell Batteries, and Contact Cable. Cylinder not included"	
	TEL-501	Power Supply for TEL-A10 Alarm	
	10176201	Replacement Circuit Board Assembly for TEL-A10 or TEL-A20 Alarm. Includes Tamper Switch, Key Switch, Delay Jumper and Battery Connectors. Delay Jumper is For Last-Door-Out Option if Needed.	
	TEL-ASO	"Reed Contact Cable for Securitech Alarms for Doors up to 36"". Two Conductor Wire Cable. (If Needed, Contact Securitech For longer Cables) "	
	TEL-SSO	"Reed Contact Cable for 3rd Party Alarms for Doors up to 36"". Three Conductor Wire Cable. (If Needed, Contact Securitech For longer Cables) "	
	TEL-A10-TSA	"Tamper Switch Assembly for TEL-A10 Alarms. Includes Two (2) Butt Connectors. "	
	101364-07-102	Tamper Screw for TEL-A10 Alarm	

TRIDENT™ Replacement Parts

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.securitech.com



ASSA ABLOY


IMAGE	MODEL	DESCRIPTION	LIST PRICE
EXTERIOR TRIM			
	TEL-PRT-KLT-AP-(HANDING)	TEL-KLT-AP Trim Mounting / Anti-Pry Plate. Specify Handing (LHR/RHR) When Ordering.	
	101134-01	TEL-KLT & TEL-MTT Anti-Pry Plate	
	101194-01-102	TEL-KLT or TEL-MTT Slot Head Cap Fasteners	
	10246103	Back Plate with Spindle for TEL-KLT-RHR Trim	
	10246104	Back Plate with Spindle for TEL-KLT-LHR Trim	
	10246901	Large Hardened Gear for TEL-KLT Trim	
ACCESSORIES & TEMPLATES			
	TEL-SHIMKIT	Shim Kit to Build up Frame for Upper, Lower and Main Strike. Fills Gap Between Frame and Lock When Trident Backset is Too Large. Includes (6) 1/8" Shims; (2) for Upper, (2) for Lower and (2) for Main Strike.	
	TEL-A-TEM-1	Metal Marking Template for Trident Exit Device.	
	10180301	TEL-KLT-LHR Metal marking Template	
	10180302	TEL-KLT-RHR Metal marking Template	

TRIDENT™ Replacement Parts

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



ASSA ABLOY

IMAGE	MODEL	DESCRIPTION	LIST PRICE
TRIDENT EXIT DEVICE - TEL-400 & TEL-300			
	102856-01-FFF	TEL-400 center assembly	
	102856-02-FFF	TEL-300 center assembly	
	102850-13-000	Trident TEL-300/400 center assembly mounting hardware. Includes 2 sets of what's shown in the image.	
	102582-01-000	TEL-400 upper bolt and rod assembly (1)	
	102861-01-000	TEL-400 lower bolt and rod assembly (2)	
	102857-01-FFF	TEL-300 lower bolt and rod assembly (3)	
	102857-02-FFF	TEL-300 upper bolt and rod assembly (4)	

TRIDENT™ Replacement Parts

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com



IMAGE	MODEL	DESCRIPTION	LIST PRICE
TRIDENT EXIT DEVICE - TEL-400 & TEL-300 continued			
	100225-01-000	Upper rod connector for TEL-400 series. To be used with rod # 1	
	100229-01-000	Lower rod connector for TEL-400 series. To be used with rod # 2	
	101611-01-102	Universal rod connector for TEL-300 series. To be used with rod # 3 & 4	
	102850-16-000	Hardware Kit: channel shims and bracket	
	102850-17-000	Hardware Kit: upper frame strike w/ fasteners	
	102850-15-000	Hardware Kit: channel fasteners and Strike	
	101445-01-000	Dust proof strike	

MULTI-POINT EXIT LOCK

TRIDENT POPULAR MODELS (Specify handing)

MODEL	DESCRIPTION
1 SINGLE DOOR APPLICATIONS	
TEL-100	Manual-Relocking, no alarm
TEL-110	Manual-Relocking packed with battery alarm
TEL-120	Manual-Relocking packed with Direct Power alarm
TEL-200	Self-Relocking, no alarm
TEL-210	Self-Relocking packed with battery alarm
TEL-220	Self-Relocking packed with Direct Power alarm
TEL-200F	Self-Relocking, FIRE RATED, no alarm
TEL-210F	Self-Relocking, FIRE RATED with battery alarm
TEL-220F	Self-Relocking, FIRE RATED with Direct Power alarm
2 DELAYED EGRESS SYSTEM	
TEL-DES	Trident Self-Locking + Delayed Egress System (TEL-200 Included)
TEL-DES-KLST (-HAND)	Trident Self-Locking + Delayed Egress System (TEL-200 Included) with keyed lever trim & delayed egress shunt switch
TEL-DES-KDST (-HAND)	Trident Self-Locking + Delayed Egress System (TEL-200 Included) with 24vDC keyed lever trim & delayed egress shunt switch
DELAYED EGRESS SYSTEM	
TEL-DEK	Delayed Egress Kit (Does not include Trident lock)
3A PAIR OF DOORS APPLICATION: KIT, ONE ACTIVE DOOR & ONE INACTIVE DOOR	
TEL-IAL	Inactive door package used with above single door locks. Includes double door aluminum angle bracket & 3-point keyed lock for inactive door only. Includes removable-core rim cylinder for 3-point keyed lock. Not for use where both doors need to be active.
TEL-IAT	Same as above but with a Thumbturn on the interior mechanism
3B PAIR OF DOORS APPLICATION: BOTH DOORS ACTIVE	
TEL-300	Manual-Relocking, both doors active, no alarm
TEL-310	Manual-Relocking, both doors active, packed with battery alarm
TEL-320	Manual-Relocking, both doors active, packed with Direct Power alarm
TEL-400	Self-Relocking, both doors active, no alarm
TEL-410	Self-Relocking, both doors active, packed with battery alarm
TEL-420	Self-Relocking, both doors active, packed with Direct Power alarm
TEL-400F	Self-Relocking, FIRE RATED, both doors active, No Alarm


MODEL	DESCRIPTION
3B PAIR OF DOORS APPLICATION: BOTH DOORS ACTIVE - continued	
TEL-410F	Self-Relocking, FIRE RATED, both doors active W/ Battery Alarm
TEL-420F	Self-Relocking, FIRE RATED, both doors active W/ Direct Power Alarm
4 ALARM KITS (with security snap connector)	
TEL-A10	Battery alarm kit for use with all Tridents
TEL-A20	Direct power alarm kit for use with all Tridents
TEL-A10-LDO-RK-TCH4W	Trident battery alarm with last door out feature & exterior shunt. Used with the TEL-KDST lever trim. Power transfer included.
5 EXTERIOR ENTRY OPTIONS (can be added in field)	
Trim for manual locking Tridents on full antio-pry plate for exterior trim models, 676 Finish (NON-HANDED)	
TEL-MTT-AP	Keyed thumbturn trim for TEL-100 series (cyl. by others)
TEL-MTH-AP	Keyed thumbturn trim & Pull handle for TEL-100 series (cyl. by others)
Trim for manual locking Tridents, on individual trim plate, black finish (NON-HANDED)	
TEL-MTT	Keyed Thumbturn trim for TEL-100 series (cyl. by others)
TEL-MTH	Keyed Thumbturn trim & Pull handle for TEL-100 series (cyl. by others)
Trim for self-locking Tridents, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)	
TEL-KLT-AP	Keyed Lever trim for TEL-200 series (order handed)
TEL-KDT-AP	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Secure)
TEL-KRT-AP	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Safe)
Trim for self-locking Tridents, on individual trim plate, 630 finish (LHR / RHR)	
TEL-KLT	Keyed Lever trim for TEL-200 series (order handed)
TEL-KDT	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Secure)
TEL-KRT	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Safe)
Trim for delayed egress models, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)	
TEL-KLST-AP	Keyed lever trim w/delayed egress shunt switch.
TEL-KDST-AP	Keyed Lever trim, 24 Volt DC release w/delayed egress shunt switch.
All Trident Self-locking and Delayed Egress Trim Models Are Handed: Designate -LHR or -RHR	
CYLINDERS FOR TRIMS OR ALARMS	
TEL-MC1	Mortise cylinder standard keyway w/ operating keys, no special keying
TEL-RC1	Removable core mortise cylinder with change and operating keys
TEL-RC2	Removable core rim cylinder with change and operating keys
CYLINDER and CAM Information	
IAL:	Removable Core rim cylinder provided with IAL lockset (contact factory for others)
ALARMS:	Mortise cylinders (required w/ alarm - works with any cam); Order separately or by others
TRIM:	Mortise cylinders (required w/ trim - cloverleaf cam recommended); Order separately or by others
Custom Functions and Solutions Available: Please Contact the Factory for Consultation	

MODEL	DESCRIPTION
5 REPLACEMENT (Service) LEVER TRIM UNITS	
TEL-KLT-RB	Keyed lever trim only (630 finish); w/o anti-pry plate
TEL-KLT-RS	Keyed lever trim only (630 finish); w/o anti-pry plate
TEL-KDT-RB	Key / DC lever trim only (630 finish); w/o anti-pry plate
TEL-KDT-RS	Key / DC lever trim only (630 finish); w/o anti-pry plate



Important Cylinder & Cam Information:

Mortise cylinder for alarms & keyed entry options are not provided, unless ordered as a separate item.



TRIM CYLINDER & CAM INFO:

Coverleaf cam is recommended for one-hand operation on all outside entry options. Cylinders 1" or longer can be used.

CYLINDER USAGE CHART

Model	Type	Cam
ALARMED MODELS		
TEL-*00	NONE	N/A
TEL-*10	MORTIS	ANY
TEL-*20	MORTISE	ANY
KEYED ENTRY MODELS		
All	Mortise	Cloverleaf

ALARM CYLINDER & CAM INFO:

A20 alarms will work with all mortise cylinder lengths and cams.

6 POPULAR FIELD INSTALLED OPTIONS

TEL-HSB1	Additional Hinge Side Bolt provides fifth point of locking
TEL-HSB3	HSB mounted on an extender plate to bypass f/s continuous hinge
TEL-E12	Armored alarm cable extension for oversize doors
TEL-EK12	12" Upper extension for TEL-300 for over height doors
TEL-EP2	24" Extended Paddle with Guarded Rubber Return
TEL-EP4	18" Extended Paddle, 6" Filler Plate and Guarded Rubber Return

Option for shipping lock to lock installer and power supply to another (typically electrician)

TEL-220-XPS	Self relocking Trident with direct power alarm less power supply
TEL-501	Separate power supply for above (shipped in own box)

Option for providing signal from lock for use with alarm by others:

TEL-SSO	Alarm Cable for 3rd Party Alarms for doors up to 36"
TEL-SS5	Alarm Cable for 3rd Party Alarms for doors up to 48"
TEL-ASO	Alarm Cable for Securitech Alarms for doors up to 36"

MODEL	DESCRIPTION
6 POPULAR FIELD INSTALLED OPTIONS continued	
TEL-AS5	Alarm Cable for Securitech Alarms for doors up to 48"
TEL-PSK	PS2 Power Supply & board to upgrade A10 to direct power
TEL-SS53	Bolt Monitor Switch, Armored cable & J Box. Doors up to 48"
Option for running electrified exterior trim wire across the door within armored cable	
TEL-TCH	Armored Cable for Electrified Trim that Includes Alarm Signal
TEL-TTH	Armored Cable for Electrified Trim without Alarm Connector
For double door applications where inactive leaf lock provided by others	
TEL-DDA	Double Door Aluminum Angle Bracket (no lock included)
Additional Options	
TEL-EP1	24" Extended paddle for doors 48" wide
TEL-EP3	18" Extended paddle with 6" Filler Plate for doors 42" wide
TEL-SSK1	Security screw set for alarm box with opening tool
Special factory installed options which cannot be field applied	
(ADD)-CT	Digital L.C.D. counter
(ADD)-CW	Lock prepped for concealed wire (8' lead)
(ADD)-RO	Remote alarm output on A10 or A20 (for secondary signal)
(ADD)-RS	Remote siren on A20 (for mounting away from door)
TEL-AM1	Integrated door monitor switch for battery alarm
TEL-AM2	Integrated door monitor switch for direct power alarm



ASSA ABLOY

The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.

CONTACT

54-60 46th Street
Maspeth NY 11378
800-622-LOCK
Tel: 718-392-9000
Fax: 718-392-8944
Email: orders.securitech@assaabloy.com
www.Securitech.com